

2026
08月

**EACH RAY IS
BRIGHTER
IN SHINLAND**

西朗德·让光更美

Optics
Shinland

EACH RAY IS BRIGHTER IN SHINLAND
www.shinland.com.cn

西朗德
专注光学领域30年

SPECIALIZATION IN
OPTICS

30
years

SHINLAND INTRODUCTION

EACH RAY IS BRIGHTER IN SHINLAND

西朗德
不断超越，继续领跑

西朗德光学拥有近30年的照明光学经验，于2013年正式在深圳设立总部，成立深圳市西朗德光学有限公司，自成立以来，我们专注于光学解决方案，秉承着“让光更美”的企业使命，公司通过技术和产品的不断创新，持续为客户提供更好更具竞争力的光学解决方案。目前，西朗德光学服务领域已涵盖商业照明、家居照明、户外照明、汽车照明、舞台照明、特种照明等。

西朗德总部位于深圳市南山区，工厂位于东莞塘厦，属于国家高新技术企业、专精特新企业，深圳总部设立研发中心、营销中心，业务辐射海内外，先后在中山、佛山、厦门、华东设立销售办事处。东莞工厂设立模具车间、注塑车间、喷涂车间、镀膜车间、装配车间、检测实验室等，能为客户提供放心保障的产品品质。

Keep Exceeding, Continue to Lead

Shinland Optical is a company with 30+ years experience in lighting optics. In 2013 our headquarter was setup in Shenzhen China. After then we focus our effort in providing lighting optics solution to our customer with advance and innovative technologies. Now, our service include business lighting, home lighting, outdoor lighting, automotive lighting, stage lighting and special lighting etc. "Make Light to be More Beautiful" is our company mission.

Shinland Optical is a national high tech enterprise and specialized & sophisticated enterprises, Our headquarter is located in Nanshan, Shenzhen, and our manufacturing facility is located in Tongxia, Dongguan. In our Shenzhen headquarter, we have our R&D centre and Sales/ Marketing Centre, Sales Offices are located in Zhongshan, Foshan, Xiamen and Shanghai. Our Dongguan manufacturing facility has plastic molding, overspraying, vacuum plating, assembling workshop and test lab etc to produce quality product to our customers.

www.shinland.com.cn

EACH RAY IS BRIGHTER IN SHINLAND

30years
Specialization In Optics

精密模具加工

Precision Mold Processing

纳米电镀喷涂

Nano Electroplating Spray

光学注塑成型

Optical Injection Molding

产品验证实验室

Product Verification Laboratory

光学设计

Optical Design

完整照明解决方案

Complete Lighting Solution

光学应用培训

Optical Application Training

光学资讯平台

Optical Information Platform

SHINLAND
SERVICE
西朗德服务



Vertical Integrated Production

垂直一体化生产

High-Speed Precision Machining Center

高速精密加工中心

德国高端五轴加工机床设备
模具加工精度 $\pm 2\mu\text{m}$
蔡司三坐标检测
模具CNC直接加工高光镜面

Germany Exeron 5-Axis
Machine, Excellent Precision of $\pm 2\mu\text{m}$,
ZEISS Three-Dimensional Inspection
CNC Processes High-Gloss Mirror
Surface Directly.

Automated Injection Molding Production Line

全自动化注塑生产线

百万级无尘生产车间
高精度注塑机
全自动化注塑生产线
独立供料系统及无油空压系统

Class 10,000 Dust-Free Production Workshop
High Precision Injection Molding Machine
Automated Injection Molding Production Line
Independent Material Feeding System and
Oil-Free Compressed Air System

Class 10,000 clean room environment

自动化万级无尘电镀车间

进口全自动电镀设备
万级电镀车间
超薄电镀工艺
有底漆/无底漆光学镀膜

Imported Automatic Plating Equipment
Class 10,000 Plating Workshop
Ultra-thin Plating Process
Optical Coating with Primer / Optical
Coating without Primer.

Reliability testing

信赖性测试

百格测试
盐雾测试
泡碱测试
高温高湿测试

Cross Hatch Test
Salt Spary Aging Test
Alkaline Test
High Temperature &
Humidity Test

冷热冲击测试
老化测试
集成分布光度计测试
Thermal Shock Test
Aging Test
Photometric Testing
of Integrated
Distribution

INDEX


I	SL 反光杯系列 SL Reflector	VI	SL-PL-AM 黑洞透镜系列 I SL-PL-AM Front Focal Lens
	I Pro 反光杯系列 I Pro Reflector		SL-PL-AM 黑洞透镜系列 II SL-PL-AM Front Focal Lens II
II	SL-A 反光杯加凸透镜系列 SL-A Reflector with Dome	VII	SL-RF-AO 无缝接轨反光杯系列 SL-RF-AO Exchangeable Design(Reflector)
	SL-B电镀透镜系列 SL-B ODR Lens		SL-PL-AO 无缝接轨透镜系列 SL-PL-AO Exchangeable Design(Lens)
	SL-D 全反射透镜系列 SL-D TIR Lens		
	SL-PL-JG极光透镜系列 JG Lens Series		
III	SL-RF-AD 黑光反光杯加凸透镜系列 SL-RF-AD Dark Light Reflector with Dome	IX	SL-PL-AG 全反射透镜系列 SL-PL-AG TIR Lens
	SL-RF-AG 黑光反光杯 SL-RF-AG Dark Light Reflector		SL-PL-DG 刀光透镜系列 SL-PL-DG Lens
IV	SL-RF-AF 防眩罩系列 SL-RF-AF Anti-glare Trim	X	SL-RF-AP 幕光洗墙系列 SL-RF-AP WALLWASHER
V	SL-E 条形灯反光杯系列 SL-E Profile Linear		
	SL-RF-AE 一体化线形反光杯系列 SL-RF-AE Profile linear II		
	SL-RF-AQ 磁吸条形灯系列 SL-RF-AQ Magnetic Linear Reflector		

SL-PL-QJ	SL-RF-MN	SL-RF-XG	SL-RF-XC	SL-PL-XH
全角透镜系列 SL-PL-QJ Lens	迷你反光杯系列 SL-RF-MN Reflector	消光反光杯系列 SL-RF-XG Reflector	星辰系列 Stellar Series	星河系列 Galaxy Series

SHINLAND'S SERIES A HOLDERS 西朗德支架A系列



SHINLAND'S SERIES B HOLDERS 西朗德支架B系列



SHINLAND'S SERIES C HOLDERS 西朗德支架C系列




SHINLAND'S SERIES AD HOLDERS 西朗德支架AD系列



SHINLAND'S SERIES JY HOLDERS 西朗德支架JY系列

HD-JY-CLU02X-1 HD-JY-CXA13-1 HD-JY-CXA15-1 HD-JY-NTW6-1 HD-JY-NTW6-2 HD-JY-NTW9-1 HD-JY-NTW9-2 HD-JY-NTW13-1 HD-JY-V4HD-1 HD-JY-CXM4-1




SHINLAND'S SERIES AI HOLDERS 西朗德支架AI系列

HD-AI-18A HD-AI-18B



SHINLAND'S SERIES AG HOLDERS 西朗德支架AG系列

SL-HD-AG-04C SL-HD-AG-04D HD-AG-06C HD-AG-06E HD-AG-09C HD-AG-09D HD-AG-09E HD-AG-12C HD-AG-12D SL-HD-AG-12E



SHINLAND'S SERIES MN HOLDERS 西朗德支架MN系列

HD-MN-CXM6-3-1 HD-MN-V3HD-1 HD-MN-CLU7S3-1



SHINLAND'S SERIES XG HOLDERS 西朗德支架XG系列

HD-XG-CXA15-1 HD-XG-CXA15-2 HD-XG-CXA13-1 HD-XG-CLU02X-1 HD-XG-CLU02X-2



COB Holder Use Guide

支架使用指南



I Pro Reflector

IX SL-PL-DG Lens
Φ28 / Φ35 mm

AA
Holders

SL-PL-JY Lens
Φ28 / Φ35mm / Φ45 / Φ50mm

VI SL-PL-AM Lens
Φ20mm

IX SL-PL-QJ Lens
Φ22 / Φ25 / Φ28 / Φ35mm

JY
Holders



AC
Holders

VI SL-PL-AM Lens
Φ42 mm

IX SL-PL-DG Lens
Φ45 / Φ50 mm

IX SL-PL-QJ Lens
Φ40 / Φ45 / Φ50 / Φ55mm



AI
Holders

SL-PL-AI Lens
Φ70 / Φ75mm



AD
Holders

II SL-PL-AG TIR Lens
Φ75mm

VII SL-RF-AO Reflector

VII SL-PL-AO Lens

SL-RF-AP WALLWASHER
Φ35 / Φ59 / Φ75mm

AG
Holders





SL-RF-MN Reflector
Φ14 / Φ18 mm



SL-RF-XG Reflector
Φ28 / Φ35 /
Φ45 / Φ50mm

支架使用指南
COB Holder Use Guide

* 灯珠的操作功率与光学器件的使用温度以整灯实测为主。

The power usage of the COB and temperature of the optical components are based on the actual testing of the luminaire.

Matching Holder for JY LENS & QJ LENS

剑影和全角系列光源支架搭配表

Holder Model	Outer Diameter	Screw Hole Pitch	Screw Hole Diameter	Emission Aperture	Substrate Size	Substrate Depth	Light Source	
SL-HD-V4HD-1	19.5	19	3.1	8.4	12.7	12.7	0.8	Bridgelux V4 HD / Bridgelux V3 HD
SL-HD-CXM-4-1	19.5	19	3.1	8.4	13.7	13.7	0.8	Luminus CXM-4 / Luminus CXM-3
SL-HD-JY-CXA13-1	25	19	2.7	8.4	13.7	13.7	0.8	Luminus CXM-4、Luminus CXM-6 Bridgelux E6 CA、Bridgelux V6HD、CREE CXA13XX 双色温：东洋T04、东洋T10、添鑫TX1309、 HORC0610、中昊BK1308、中昊BK1375、中昊BK1306
SL-HD-JY-1507-1	25	19	2.7	11.5	16.1	16.1	0.8	Bridgelux E8 CA、CREE CXA15XX 双色温：东洋T15、添鑫TX1512
SL-HD-JY-CLU02X-1	25	19	2.7	12	13.7	13.7	0.8	Bridgelux V10、Luminus CXM-9 AC、Citizen CLU02X
SL-HD-JY-NTW6-1	26.8	19	2.7	9.6	12.8	12.8	0.9	Bridgelux NTW-6
SL-HD-JY-NTW9-1	26.8	19	2.7	12.15	16.1	16.1	0.9	Bridgelux NTW-9
SL-HD-AC-11A	35	25	3.1	11	16.1	16.1	0.8	Bridgelux E8 CA、CREE CXA15XX 双色温：东洋T15、添鑫TX1512
SL-HD-AC-12A	35	25	3.1	12	13.7	13.7	0.8	Bridgelux E6 CA、Bridgelux V6HD、Luminus CXM-9 AC Luminus CXM-6、CREE CXA13XX、Bridgelux V10 Citizen CLU02X 双色温：东洋T10、添鑫TX1309、HORC0610 中昊BK1308
SL-HD-JY-NTW6-2	35	25	3.1	9.6	12.8	12.8	0.9	Bridgelux NTW-6

Holder Model	Outer Diameter	Screw Hole Pitch	Screw Hole Diameter	Emission Aperture	Substrate Size	Substrate Depth	Light Source	
SL-HD-JY-NTW9-2	35	25	3.1	12.15	16.1	16.1	0.9	Bridgelux NTW-9
SL-HD-AC-17A	35	25	3.1	16.5	18.1	18.1	1	CREE CXA1820、CREE CMB1820
SL-HD-JY-NTW13-1	35	25	3.1	17.22	19.2	19.2	0.8	Luminus CXM-11、Luminus CXM-14、CITIZEN CLU038 Bridgelux V13、Bridgelux NTW-13
SL-HD-AC-18A	50	35&36	3.1	18	19.2	19.2	0.8	Luminus CXM-11、Luminus CXM-14、CITIZEN CLU038 Bridgelux V13、Tridonic G7
SL-HD-AC-18B	50	35	3.1	18	24.2	20.2	0.9	PHILIPS 1208
SL-HD-AC-18C	44	35&30	3.1	18	19.2	19.2	0.8	Luminus CXM-11、Luminus CXM-14、CITIZEN CLU038 Bridgelux V13、Bridgelux NTW-13、Tridonic G7
SL-HD-AC-18D	44	35&30	3.1	18	18.1	18.1	1	CREE CXA1820、CREE CMB1820
SL-HD-AC-18E	44	35&30	3.1	18	24.2	20.2	0.9	PHILIPS 1208

★ 灯珠的操作功率与光学器件的使用温度以整灯实测为主。

The power usage of the COB and temperature of the optical components are based on the actual testing of the luminaire.

Matching Holder for COB

光源支架搭配表

BRIDGELUX 普瑞

LED P/N		A HOLDER	B HOLDER	C HOLDER	D HOLDER	Dimensions	LES
V4 HD	Gen7	SL-V4HD-HD-A	/	/	/	12.5*12.5	4.5
V6 HD	Gen7	SL-b1x C6-HD-A SL-HD-AA-09A SL-HD-AA-09B	SL-CLU700-HD-B	SL-HD-AC-09A	SL-HD-AD-09A	13.5*13.5	6.3
V6	Gen6	SL-V8-HD-A	/	/	/	12.5*12.5	6.1
V8	Gen6、Gen7	SL-V8-HD-A	/	/	/	12.5*12.5	8.1
	Gen8	SL-V8-HD-A	/	/	/	12.5*12.5	8.5
V10	Gen6	SL-b1x C8-HD-A	SL-CXA-15-HD-B	/	SL-HD-AD-11A	15.8*15.8	9.9
	Gen7、Gen8	SL-CLL020-HD-A SL-HD-AA-12A SL-HD-AA-12B	SL-CLL02X-HD-B SL-V10-HD-B	SL-HD-AC-12A	SL-HD-AD-12A	13.5*13.5	10.2
V13	Gen6	SL-V13-HD-A	SL-V13-HD-B	/	/	15.8*15.8	13.4
	Gen7、Gen8	SL-CHM-14-HD-A	SL-CHM-14-HD-B	/	SL-HD-AD-16A	19*19	14/14.8
V15	Gen6、Gen8	SL-CXM-18-HD-A	SL-G4-17-HD-B	/	/	21*21	15.2/15.3
V18	Gen7、Gen8	/	SL-S19-HD-B	/	/	24*24	19.2
V22	Gen6、Gen7、Gen8	/	SL-CXM-22-HD-B	/	/	28*28	22/22.6/23.3
Vero 10	Gen6、Gen7、Gen8	自带支架	/	/	/	30.8	9.9
Vero 13	Gen6、Gen7、Gen8	自带支架	SL-Vero13-HD-B	/	/	36.2	13.2
Vero 18	Gen6、Gen7、Gen8	自带支架	SL-Vero18-HD-B	/	/	36.2	18.4
E6 CA (b1x C6)	Gen1	SL-b1x C6-HD-A SL-HD-AA-08A SL-HD-AA-09A SL-HD-AA-09B	SL-CLU700-HD-B	/	SL-HD-AD-09A	13.35*13.35	6
	Gen2	SL-VestaTW6-HD-A	/	/	/	12.5*12.5	6.1
E8CA (b1x C8)	Gen1	SL-b1x C8-HD-A SL-HD-AA-11A SL-HD-AA-11B	SL-CXA-15-HD-B	SL-HD-AC-11A	SL-HD-AD-11A	15.85*15.85	8.9
	Gen2	SL-V8-HD-A	/	/	/	12.5*12.5	8.1
E13	Gen1	SL-CXA18-HD-A	SL-CXA-18-HD-B	/	SL-HD-AD-14A	17.85*17.85	12
Vesta TW6	Gen2	SL-VestaTW6-HD-A	/	/	/	12.5*12.5	6.3
Vesta TW9	Gen2	SL-VestaTW9-HD-A	SL-VestaTW9-HD-B	/	/	15.85*15.85	10
DTW4/6/12	Gen2	SL-DTW12-HD-A	/	/	/	12*15	9.3
Vesta TW13	Gen2	/	SL-VestaTW13-HD-B	/	/	18.8*18.8	14.2
Vesta TW15	Gen2	/	SL-VestaTW15-HD-B	/	/	21.3*21.3	18.1

CITIZEN 西铁城

LED P/N		A HOLDER	B HOLDER	C HOLDER	D HOLDER	Dimensions	LES
CLU028	1201C4、1202C4、1203C4、1204C4	SL-CLL020-HD-A SL-HD-AA-12A SL-HD-AA-12B	SL-CLL02X-HD-B	SL-HD-AC-12A	SL-HD-AD-12A	13.5*13.5	9.8
CLU038	1205C4、1206C4、1208C4、1210C4	SL-CLL03X-HD-A2、 SL-CLL030-HD-A	SL-CLL03X-HD-B	/	SL-HD-AD-17A	19*19	14.5
CLU048	1211C4、1212C4、1216C4、1812C4、1818C4	/	SL-CXM-22-HD-B	/	/	28*28	22.0
CLU701	0303C4、0304C4、1002C4	SL-blx C6-HD-A	SL-CLU700-HD-B	SL-HD-AC-09A	SL-HD-AD-09A	13.5*13.5	6.0
CLU711	1204C4	/	SL-CLU710-HD-B	/	SL-HD-AD-16A	19*19	8.5
CLU721	1206C4	SL-CLL03X-HD-A2	SL-CLU720-HD-B	/	/	19*19	11.0
CLU731	1210C4	/	SL-CLU730-HD-B	/	/	28*28	13.0
CLU0A0	0303C1	SL-CLU0B0-HD-A	/	/	/	11.5*11.5	4.6
CLU0B0	0304C1、0602C1、1201C1、0603C1	SL-CLU0B0-HD-A	/	/	/	11.5*11.5	6.0
CLC020	057A5	/	SL-CLC020-HD-B	/	/	14*19	9.8

CREE 科锐

LED P/N		A HOLDER	B HOLDER	C HOLDER	D HOLDER	Dimensions	LES
CXA13	CXA1304、CXA1310	SL-CXA13-HD-A SL-HD-AA-08A SL-HD-AA-09A SL-HD-AA-09B	SL-CLU700-HD-B	SL-HD-AC-09A	SL-HD-AD-09A	13.5*13.5	6
CXB13	CXB1310	SL-CXA13-HD-A SL-HD-AA-08A SL-HD-AA-09A SL-HD-AA-09B	SL-CLU700-HD-B	SL-HD-AC-09A	SL-HD-AD-09A	13.5*13.5	6
CXA15	CXA1507、CXA1510、CXA1512	SL-CXA15-HD-A SL-HD-AA-11A SL-HD-AA-11B	SL-CXA15-HD-B	SL-HD-AC-11A	SL-HD-AD-11A SL-HD-AD-11C	15.85*15.85	9
CXB15	CXB1507、CXB1512、CXB1520	SL-CXA15-HD-A SL-HD-AA-11A SL-HD-AA-11B	SL-CXA15-HD-B	SL-HD-AC-11A	SL-HD-AD-11A SL-HD-AD-11C	15.85*15.85	9
CXA18	CXA1816、CXA1820	SL-CXA1820-HD-A	SL-CXA18-HD-B	/	SL-HD-AD-14A	17.85*17.85	12
CXB18	CXB1816、CXB1820	SL-CXA1820-HD-A	SL-CXA18-HD-B	/	SL-HD-AD-14A	17.85*17.85	12
CXA1830	CXA1830	/	SL-CXA1830-HD-B	/	/	17.85*17.85	14
CXB1830	CXB1830	/	SL-CXA1830-HD-B	/	/	17.85*17.85	14
CXA25	CXA2520、CXA2530、CXA2540	SL-CXA2520-HD-A	SL-CXA25-HD-B	/	/	23.85*23.85	19
CXB25	CXB2530、CXB2540	SL-CXA2520-HD-A	SL-CXA25-HD-B	/	/	23.85*23.85	19

LUMINUS 朗明纳斯

LED P/N		A HOLDER	B HOLDER	C HOLDER	D HOLDER	Dimensions	LES
CXM-3	AC4x	SL-blx C6-HD-A SL-HD-AA-09A SL-HD-AA-09B	SL-CLU700-HD-B	/	SL-HD-AD-09A	13.5*13.5	3.5
CXM-4	AC4x	SL-blx C6-HD-A SL-HD-AA-09A SL-HD-AA-09B	SL-CLU700-HD-B	/	SL-HD-AD-09A	13.5*13.5	4.5
CXM-6	AA02、AA3x	SL-CXM-6-HD-A	/	/	/	13*12	6.3
	AC3x、AC4x、PC32	SL-blx C6-HD-A SL-HD-AA-09A SL-HD-AA-09B	SL-CLU700-HD-B	SL-HD-AC-09A	SL-HD-AD-09A	13.5*13.5	6.3/6.5
CHM-6	XH2x、XH00	SL-blx C6-HD-A SL-HD-AA-09A SL-HD-AA-09B	SL-CLU700-HD-B	SL-HD-AC-09A	SL-HD-AD-09A	13.5*13.5	6.3
	AA0x、AA10	SL-CXM-6-HD-A	/	/	/	13*12	6.3
CXM-7	AA0x	SL-CXM-7-HD-A	/	/	/	13*13	7.5
CXM-9	AA00、AA10、AA3x、AA4x	SL-CXM-9-HD-A	SL-CXM-9-HD-B	/	SL-HD-AD-11B	15*15	9/9.8
	AC00、AC10、AC3x、AC4x、PC32	SL-CLL020-HD-A SL-HD-AA-12A SL-HD-AA-12B	SL-CLU020-HD-B	SL-HD-AC-12A	SL-HD-AD-12A	13.5*13.5	9/9.6/9.8
CHM-9	AA00、AA10、XD20、XD22	SL-CXM-9-HD-A	SL-CXM-9-HD-B	/	SL-HD-AD-11B	15*15	9/9.6
	AC00、AC10、AC3x	SL-CLL020-HD-A SL-HD-AA-12A SL-HD-AA-12B	SL-CLU020-HD-B	/	SL-HD-AD-12A	13.5*13.5	9/9.8
	XH2x	SL-CHM-14-HD-A	SL-CLU710-HD-B	/	SL-HD-AD-16A	19*19	9
CLM-9	AA00、AA3x	SL-CXM-9-HD-A	SL-CXM-9-HD-B	/	SL-HD-AD-11B	15*15	9/9.6
	AC00、AC3x、AC4x	SL-CLL020-HD-A SL-HD-AA-12A SL-HD-AA-12B	SL-CLU020-HD-B	/	SL-HD-AD-12A	13.5*13.5	9/9.6/9.8
CIM-9	AC3x、AC4x	SL-CLL020-HD-A	SL-CLU020-HD-B	/	SL-HD-AD-12A	13.5*13.5	9.6/9.8
CXM-11	AA3x、AA4x	SL-CXM-14-HD-A	SL-CXM-14-HD-B	/	/	18.5*18.5	11.6/11.9
	AC00、AC3x、PC32	SL-CHM-14-HD-A	SL-CLU720-HD-B	/	SL-HD-AD-16A	19*19	11/11.6/11.7
CHM-11	XH2x	SL-CHM-14-HD-A	SL-CLU720-HD-B	/	SL-HD-AD-16A	19*19	11
CXM-14	AA00、AA10	SL-CXM-14-HD-A	SL-CXM-14-HD-B	/	/	18.5*18.5	13.5
	AC00、AC10	SL-CHM-14-HD-A	SL-CHM-14-HD-B	/	SL-HD-AD-16A	19*19	13.5
	AA3x、AA4x	SL-CLL03X-HD-A2	SL-CXM-14-HD-B	/	/	18.5*18.5	14.3/14.5
	AC3x、AC4x	SL-CLL03X-HD-A2	SL-VestaTW13-HD-B	/	SL-HD-AD-16A	19*19	14.3/14.5
CHM-14	AA10	SL-CXM-14-HD-A	SL-CXM-14-HD-B	/	/	18.5*18.5	13.5
	AC10	SL-CHM-14-HD-A	SL-CHM-14-HD-B	/	SL-HD-AD-16A	19*19	13.5
	XH2x	/	SL-CLU730-HD-B	/	/	28*28	13.5
CLM-14	AA3x、AA4x	SL-CLL03X-HD-A2	SL-CXM-14-HD-B	/	/	18.5*18.5	14.3/14.5
	AC3x、AC4x	SL-CLL03X-HD-A2	SL-VestaTW13-HD-B	/	SL-HD-AD-16A	19*19	14.3/14.5
CIM-14	AC3x、AC4x	SL-CLL03X-HD-A2	SL-VestaTW13-HD-B	/	SL-HD-AD-16A	19*19	14.5
CGM-14	AC3x、AC4x	SL-CLL03X-HD-A2	SL-VestaTW13-HD-B	/	SL-HD-AD-16A	19*19	14.5
CXM-18	AA4x、AA02	SL-CXM-18-HD-A	SL-CXM-18-HD-B	/	/	21.5*21.5	17.5/18
CXM-22	AA4x、AA02	/	SL-CXM-22-HD-B	/	/	28*28	22
CHM-22	AA02	/	SL-CXM-22-HD-B	/	/	28*28	22
CIM-22	AA4x	/	SL-CXM-22-HD-B	/	/	28*28	22

LED P/N		A HOLDER	B HOLDER	C HOLDER	D HOLDER	Dimensions	LES
CLM-22	AA4x、PC32	/	SL-CXM-22-HD-B	/	/	28*28	22
CGM-22	AA4x	/	SL-CXM-22-HD-B	/	/	28*28	22
CDM-6	DW01	/	SL-CDM/CTM-9-HD-B	/	/	15,25*12,25	6,8
CDM-9	DW01	/	SL-CDM/CTM-9-HD-B	/	/	15*12	9.5
CTM-9	TW01	/	SL-CDM/CTM-9-HD-B	/	/	15*12	9.5
CDM-14	DW01	/	SL-CDM/CTM-14-HD-B	/	/	24*20	15.5
CTM-14	TW01	/	SL-CDM/CTM-14-HD-B	/	/	24*20	14.5
CDM-18	DW01	/	SL-CDM/CTM-18-HD-B	/	/	24*20	16.8
CTM-18	TW01	/	SL-CDM/CTM-18-HD-B	/	/	24*20	17.5
CTM-6	Gen2	SL-CLL020-HD-A SL-HD-AA-12A SL-HD-AA-12B	SL-CLL02X-HD-B SL-V10-HD-B	SL-HD-AC-12A	SL-HD-AD-12A	13.35*13.35	6.6
CTM-9	Gen2	SL-b1x C8-HD-A	SL-CXA-15-HD-B	/	SL-HD-AD-11A	15.85*15.85	9.6

LUMILEDS 亮锐(飞利浦)

LED P/N		A HOLDER	B HOLDER	C HOLDER	D HOLDER	Dimensions	LES
1201	CertaFlux L06_G1/G2	SL-CXA13-HD-A	SL-CLU700-HD-B	/	SL-HD-AD-09A	13.35*13.35	5.5
	CertaFlux L04_G2	SL-b1x C6-HD-A	SL-CLU700-HD-B	/	SL-HD-AD-09A	13.35*13.35	4.1
	Fortimo L09_G7N/G7N_HE	SL-CLL020-HD-A	SL-CLL02X-HD-B	/	SL-HD-AD-12A	13.5*13.5	9.8
1202	CertaFlux L09_G1/G2	SL-CXA15-HD-A	SL-CXA15-HD-B	/	SL-HD-AD-11A	15.85*15.85	8.5
	CertaFlux L06_G2	SL-CXA13-HD-A	SL-CLU700-HD-B	SL-HD-AC-09A	SL-HD-AD-09A	13.35*13.35	5.5
	Fortimo L09_G7N/G7N_HE	SL-CLL020-HD-A	SL-CLL02X-HD-B	/	SL-HD-AD-12A	13.5*13.5	9.8
1203	Fortimo L06_G7	SL-105A-HD-A	SL-MINI-HD-B	/	/	15*12	6.5
	CertaFlux L09_G1/G2	SL-CXA15-HD-A	SL-CXA15-HD-B	/	SL-HD-AD-11A	15.85*15.85	8.5
	Fortimo L09_G6、G7	SL-LHC1-1202-HD-A	SL-1916-14-HD-B	/	/	19*16	9
1204	Fortimo L09_G7N/G7N_HE	SL-CLL020-HD-A	SL-CLL02X-HD-B	/	SL-HD-AD-12A	13.5*13.5	9.8
	CertaFlux L12_G1/G2	SL-CXA1820-HD-A	SL-CXA18-HD-B	/	SL-HD-AD-14A	17.85*17.85	12
	CertaFlux L09_G2	SL-CXA15-HD-A	SL-CXA15-HD-B	/	SL-HD-AD-11A	15.85*15.85	8.5
	Fortimo L09_G7N/G7N_HE	SL-CLL020-HD-A	SL-CLL02X-HD-B	/	SL-HD-AD-12A	13.5*13.5	9.8
1205	Fortimo L09_G7	SL-LHC1-1202-HD-A	SL-1916-14-HD-B	/	/	19*16	9
	CertaFlux L12_G1/G2	SL-CXA1820-HD-A	SL-CXA18-HD-B	/	SL-HD-AD-14A	17.85*17.85	12
	Fortimo L13_G6、G7	SL-LHC1-1204-HD-A	SL-LHC1-1208-HD-B	/	SL-HD-AD-18A	20*24	13
	Fortimo L15_G7N/G7N_HE	SL-CLL03X-HD-A2/ SL-CLL030-HD-A	SL-CLL03X-HD-B	/	SL-HD-AD-17A	19*19	14.5
1206	Fortimo L13_G7	SL-LHC1-1204-HD-A	SL-LHC1-1208-HD-B	/	SL-HD-AD-18A	20*24	13
	Fortimo L15_G7N/G7N_HE	SL-CLL03X-HD-A2/ SL-CLL030-HD-A	SL-CLL03X-HD-B	/	SL-HD-AD-17A	19*19	14.5
1208	CertaFlux L14_G1/G2	/	SL-CXA1830-HD-B	/	/	17.85*17.85	14
	Fortimo L15_G7N/G7N_HE	SL-CLL03X-HD-A2/ SL-CLL030-HD-A	SL-CLL03X-HD-B	/	SL-HD-AD-17A	19*19	14.5
	Fortimo L15_G6/G7	SL-LHC1-1208-HD-A	SL-LHC1-1208-HD-B	/	SL-HD-AD-18A	20*24	15
1210	Fortimo L15_G7N/G7N_HE	SL-CLL03X-HD-A2/ SL-CLL030-HD-A	SL-CLL03X-HD-B	/	SL-HD-AD-17A	19*19	14.5
1211	Fortimo L22_G7N/ G7N_HE	/	SL-CXM-22-HD-B	/	/	28*28	22
	Fortimo L19_G6、G7	/	SL-CXM-22-HD-B	/	/	28*28	18.5
1212	Fortimo L22_G7N/G7N_HE	/	SL-CXM-22-HD-B	/	/	28*28	22
1216	Fortimo L22_G7N/G7N_HE	/	SL-CXM-22-HD-B	/	/	28*28	22

OSRAM 欧司朗

LED P/N		A HOLDER	B HOLDER	C HOLDER	D HOLDER	Dimensions	LES
Soleriq S9	GEN3、 GEN4	SL-CLL020-HD-A	SL-CLL02X-HD-B	/	SL-HD-AD-12A	13.5*13.5	9.8
Soleriq S13	GEN2、 GEN3	SL-CHM-14-HD-A	SL-CHM-14-HD-B	/	SL-HD-AD-16A	19*19	13
Soleriq S15	GEN4	SL-CLL030-HD-A	SL-CLL03X-HD-B	/	SL-HD-AD-16A	19*19	14.7
Soleriq S19	GEN2	SL-CXA2520-HD-A	SL-S19-HD-B	/	/	24*24	17.8

NICHIA 日亚

LED P/N		A HOLDER	B HOLDER	C HOLDER	D HOLDER	Dimensions	LES
NJCxS024Z	NJCWS024Z、 NJCLS024Z	SL-MINI-HD-A	SL-MINI-HD-B	/	/	15*12	7
NJCxL024Z	NJCWL024Z	SL-LHC1-1202-HD-A	SL-1916-14-HD-B	/	SL-HD-AD-12B	19*16	7
NVCxL024Z	NVCWL024Z	SL-1916-14-HD-A	SL-1916-14-HD-B	/	/	19*16	11
NVExJ048Z	NVEWJ048Z、 NVELJ048Z	SL-LHC1-1208-HD-A	SL-LHC1-1208-HD-B	/	SL-HD-AD-18A	24*17	14.6
NTCxS024B	NTCWS024B、 NTCLS024B	SL-Philips105A-HD-A	SL-MINI-HD-B	/	/	15*12	6.7
NFCxS024B	NFCWS024B	SL-Philips105A-HD-A	SL-MINI-HD-B	/	/	15*12	6.7
NFCxL036B	NFCWL036B、 NFCLL036B	SL-LHC1-1202-HD-A	SL-1916-HD-B	/	SL-HD-AD-12B	19*16	8.7
NFCxL060B	NFCWL060B、 NFCLL060B	SL-1916-HD-A	SL-1916-HD-B	/	/	19*16	11.5
NFCxJ108B	NFCWJ108B、 NFC LJ108B	SL-LHC1-1208-HD-A	SL-LHC1-1208-HD-B	/	SL-HD-AD-18A	24*19	14.6
NFDxJ130B	NFDWJ130B、 NFD LJ130B	SL-LHC1-1208-HD-A	SL-LHC1-1208-HD-B	/	SL-HD-AD-18A	24*19	14.6

TRIDONIC 锐高

LED P/N		A HOLDER	B HOLDER	C HOLDER	D HOLDER	Dimensions	LES
G4-10	/	SL-G4-10-HD-A	SL-G4-10-HD-B	/	SL-HD-AD-12A	/	8.5
G4-17	/	SL-CXM-18-HD-A	SL-G4-17-HD-B	/	/	/	17
G4-23	/	/	SL-G4-23HD-B	/	/	/	23
SLE G7 9mm	/	SL-CLL020-HD-A	SL-CLL02X-HD-B	/	SL-HD-AD-12A	13.5*13.5	9
SLE G7 13mm	/	SL-CHM-14-HD-A	SL-CHM-14-HD-B	/	SL-HD-AD-16A	19*19	13
SLE G7 15mm	/	SL-CLL03X-HD-A2/S L-CLL030-HD-A	SL-CLL03X-HD-B	/	SL-HD-AD-17A	19*19	15

LUMENS 流明

	LED P/N	A HOLDER	B HOLDER	C HOLDER	D HOLDER	Dimensions	LES
EDC-38C	/	/	SL-EDC-38C-HD-B	/	/	/	9.8
EDC-47C	/	/	SL-EDC-47C-HD-B	/	/	/	12.2
EDC-57C-20	/	/	SL-EDC-57C-20-HD-B	/	/	/	13.2
EDC-57C-30	/	/	SL-EDC-57C-30-HD-B	/	/	/	20.1

SAMSUNG 三星

	LED P/N	A HOLDER	B HOLDER	C HOLDER	D HOLDER	Dimensions	LES
LC010C	Gen2	SL-bix C6-HD-A	SL-CLU700-HD-B	SL-HD-AC-09A	SL-HD-AD-09A	13.5*13.5	6
LC020C	Gen2	/	SL-CLU710-HD-B	/	/	19*19	8.5
LC040C	Gen2	SL-CHM-14-HD-A	SL-CLU720-HD-B	/	SL-HD-AD-16A	19*19	11.5
LC006B	Gen3	SL-CLL020-HD-A	SL-V10-HD-B	/	SL-HD-AD-12A	13.5*13.5	8
LC026B	Gen3	SL-CXM-18-HD-A	SL-CXM-18-HD-B	/	/	21.5*21.5	17
LC033B	Gen3	SL-CXM-18-HD-A	SL-CXM-18-HD-B	/	/	21.5*21.5	17

XICATO

	LED P/N	A HOLDER	B HOLDER	C HOLDER	D HOLDER	Dimensions	LES
XTM-9	/	/	SL-XTM-19-HD-B	/	/	/	9
XTM-19	/	/	SL-XTM-19-HD-B	/	/	/	24



SL-I Pro
REFLECTOR

无主灯照明-小射灯、天花灯
搭配SL-VI达到低眩光效果

Non Major Lighting – Spot Light、Ceiling Light
Match with SL-VI to Achieve the Best Anti Glare Effect



SL-030A Vacuum Aluminum Plating PC
Φ:30.0mm H:26.15mm Φ:7.8mm 真空镀膜

Code 型号	Typ.FWHM 标准角度	Typ.eff 标准效率
SL-03018A	18°	85%
SL-03024A	24°	85%
SL-03036A	36°	85%

CLU701 CLU0B0	CXA13 V6 HD
CXM-6 CHM-6	E6 CA

防眩罩 Anti-glare Trim
SL-RF-AF-040A-RD*
SL-RF-AF-050E-RA*
SL-RF-AF-050B-RW
镜片/COVER:
SL-030-MIX-LENS-C



SL-035C

Vacuum Aluminum Plating PC

Φ:35.0mm H:26.4mm Φ:7.8mm

真空镀铝

Code 型号	Typ.FWHM 标准角度	Typ.eff 标准效率
SL-03518C	18°	86%
SL-03524C	24°	87%
SL-03536C	36°	87%

CLU701	CXA13
CLU0B0	V6 HD
CXM-6	blk C6
CHM-6	E6 CA

防眩罩 Anti-glare Trim

SL-RF-AF-050A*
SL-RF-AF-070E-RA*
SL-RF-AF-070B-RW

镜片/COVER:

SL-035-MIX-LENS-C



SL-035D

Vacuum Aluminum Plating PC

Φ:35.0mm H:26.4mm Φ:11.6mm

真空镀铝

Code 型号	Typ.FWHM 标准角度	Typ.eff 标准效率
SL-03524D	24°	89%
SL-03536D	36°	89%

CLU028	CXA15
CXM-9	blk C8
CHM-9	E8 CA

防眩罩 Anti-glare Trim

SL-RF-AF-050A*
SL-RF-AF-070E-RA*
SL-RF-AF-070B-RW

镜片/COVER:

SL-035-MIX-LENS-C



SL-045D

Vacuum Aluminum Plating PC

Φ:45.0mm H:36.7mm Φ:11.4mm

真空镀铝

Code 型号	Typ.FWHM 标准角度	Typ.eff 标准效率
SL-04518D	18°	85%
SL-04524D	24°	85%
SL-04536D	36°	85%

CLU028	V10 Gen7
CXM-9	V10 Gen8
CXA15	E8 CA

防眩罩 Anti-glare Trim

SL-RF-AF-070A*
SL-RF-AF-090D-RA*
SL-RF-AF-090A-RW

镜片/COVER:

SL-045-MIX-LENS-C



SL-050E

Vacuum Aluminum Plating PC

Φ:50.0mm H:41.45mm Φ:11.6mm

真空镀铝

Code 型号	Typ.FWHM 标准角度	Typ.eff 标准效率
SL-05018E	18°	85%
SL-05024E	24°	85%
SL-05036E	36°	85%

CLU028	V10 Gen7
CXM-9	V10 Gen8
CXA15	E8 CA

镜片/COVER:

SL-050-MIX-LENS-C



SL
REFLECTOR

经典畅销系列

HOT
SALE

高效率反光杯
尺寸角度齐全
通用性强

High Efficiency (> 90%) .
Complete Size&Beam Angle,
High Compatibility





SL-RF-AA-022A

Vacuum Aluminum Plating PC
真空镀铝

Φ:22.0mm H:14.0mm Φ:8.0mm

Code 型号	Typ.FWHM 标准角度	Typ.eff 标准效率
SL-RF-AA-022A-M	17° (配CXM-3) / 24°	89%
SL-RF-AA-022A-F	36°	89%

CLU701
CLU0B0
CXM-3
CXM-6
CHM-6
CXA13
V4 HD
V6 HD
VestaTW6
blx C6



SL-044B

Vacuum Aluminum Plating PC
真空镀铝

Φ:44.0mm H:20.2mm Φ:11.5mm

Code 型号	Typ.FWHM 标准角度	Typ.eff 标准效率
SL-04415B	15°	93%
SL-04425B	25°	93%
SL-04438B	38°	93%
SL-04460B	60°	93%

CLU028
CXM-9
CHM-9
CXA15
V10 Gen6
V10 Gen7
blx C8
E8
VestaTW6
Soleriq S9
105
1202/1203

G4-10
LC020C
LC006B
EDC-38C
NFCxL036B



SL-035A

Vacuum Aluminum Plating PC
真空镀铝

Φ:35.0mm H:21.5mm Φ:8.5mm

Code 型号	Typ.FWHM 标准角度	Typ.eff 标准效率
SL-03515A	15°	90%
SL-03524A	24°	90%
SL-03536A	36°	90%

CLU701
CXM-6
CHM-6
CXA13
V6
blx C6
VestaTW6

LC010C
NJCxS024Z
NTCxS024B



SL-044C

Vacuum Aluminum Plating PC
真空镀铝

Φ:44.0mm H:20.2mm Φ:11.5mm

Code 型号	Typ.FWHM 标准角度	Typ.eff 标准效率
SL-04416C	15°	93%
SL-04426C	25°	93%
SL-04438C	38°	93%
SL-04460C	60°	93%

Vero 10



SL-035B

Vacuum Aluminum Plating PC
真空镀铝

Φ:35.0mm H:17.6mm Φ:11.4mm

Code 型号	Typ.FWHM 标准角度	Typ.eff 标准效率
SL-03520B	20°	91%
SL-03540B	40°	91%
SL-03560B	60°	91%

CLU028
CXM-9
CHM-9
CXA15
V10 Gen6
V10 Gen7
blx C8
E8
VestaTW6
105
1202/1203

G4-10
LC020C
LC006B
EDC-38C
NFCxL036B



SL-045A

Vacuum Aluminum Plating PC
真空镀铝

Φ:45.0mm H:34.1mm Φ:12.0mm

Code 型号	Typ.FWHM 标准角度	Typ.eff 标准效率
SL-04515A	15°	90%
SL-04524A	24°	90%
SL-04538A	38°	90%

CLU028
CXM-9
CHM-9
CXA15
V10 Gen6
V10 Gen7
blx C8
E8
Soleriq S9
105
1202/1203

G4-10
LC020C
LC006B
EDC-38C
NFCxL036B



SL-044A

Vacuum Aluminum Plating PC
真空镀铝

Φ:44.0mm H:20.2mm Φ:8.5mm

Code 型号	Typ.FWHM 标准角度	Typ.eff 标准效率
SL-04413A	13°	93%
SL-04425A	25°	93%
SL-04438A	38°	93%

CLU701
CXM-6
CHM-6
CXA13
V6
blx C6
VestaTW6

LC010C
NJCxS024Z
NJCxS024B



SL-045B

Vacuum Aluminum Plating PC
真空镀铝

Φ:45.0mm H:20.1mm Φ:19.0mm

Code 型号	Typ.FWHM 标准角度	Typ.eff 标准效率
SL-04524B	24°	91%
SL-04550B	50°	91%

CLU038
MEGA
E13
NVExJ048Z
NFCxJ108B
NFDxJ130B



SL-045C

Vacuum Aluminum Plating PC

Φ:45.0mm H:20.1mm Φ:19.0mm

真空镀铝

Code 型号	Typ.FWHM 标准角度	Typ.eff 标准效率
SL-04524C	24°	91%
SL-04550C	50°	91%

CLU038
CLU721
CXM-18
CXA25
V18 Gen6
V18 Gen7
Vero18
Soleriq S19
1208
XTM-19
LC026B
LC033B

EDC-57C-20
EDC-57C-30
NVCxL024Z
NVExH048Z
NFCxL060B
NFCxJ108B
NFDxJ130B



SL-050D

Vacuum Aluminum Plating PC

Φ:50.0mm H:35.1mm Φ:11.5mm

真空镀铝

Code 型号	Typ.FWHM 标准角度	Typ.eff 标准效率
SL-05015D	15°	90%
SL-05024D	24°	90%
SL-05038D	38°	90%
SL-05060D	60°	90%

CLU028
CXM-9
CHM-9
CXA15
V10 Gen6
V10 Gen7
blk C8
E8
Soleriq S8
Soleriq S9
Soleriq S10
105
1202 / 1203

G4-10
LC020C
LC006B
EDC-38C
NFCxL036B



SL-050A

Vacuum Aluminum Plating PC

Φ:50.0mm H:35.1mm Φ:11.5mm

真空镀铝

Code 型号	Typ.FWHM 标准角度	Typ.eff 标准效率
SL-05015A	15°	90%
SL-05024A	24°	90%
SL-05038A	38°	90%
SL-05060A	60°	90%

CLU028
CXM-9
CHM-9
CXA15
V10 Gen6
V10 Gen7
blk C8
E8
Soleriq S8
Soleriq S9
Soleriq S10
105
1202 / 1203

G4-10
LC020C
LC006B
EDC-38C
NFCxL036B



SL-069A

Vacuum Aluminum Plating PC

Φ:69.0mm H:46mm Φ:18.0mm

真空镀铝

Code 型号	Typ.FWHM 标准角度	Typ.eff 标准效率
SL-06915A	15°	91%
SL-06924A	24°	91%
SL-06938A	38°	91%

CLU038



SL-050B

Vacuum Aluminum Plating PC

Φ:50.0mm H:35.1mm Φ:11.5mm

真空镀铝

Code 型号	Typ.FWHM 标准角度	Typ.eff 标准效率
SL-05015B	15°	90%
SL-05024B	24°	90%
SL-05038B	38°	90%
SL-05060B	60°	90%

Vero10



SL-069B

Vacuum Aluminum Plating PC

Φ:69.0mm H:45.5mm Φ:19.3mm

真空镀铝

Code 型号	Typ.FWHM 标准角度	Typ.eff 标准效率
SL-06918B	18°	91%
SL-06928B	28°	91%
SL-06942B	42°	91%

CXM-18
Vero18
V15 Gen6
V18 Gen6
1208
Soleriq S19
XTM-19
LC026B
LC033B
EDC-57C-30



SL-050C

Vacuum Aluminum Plating PC

Φ:50.0mm H:35.1mm Φ:14.5mm

真空镀铝

Code 型号	Typ.FWHM 标准角度	Typ.eff 标准效率
SL-05020C	20°	90%
SL-05030C	30°	90%

CLU721
CXM-14
CHM-14
CXA18
Vero13
V13 Gen6
1204 / 1205
LC020C
LC040C

EDC-47C
EDC-57C-20
NVCxL024Z
NFCxL060B



SL-069E

Vacuum Aluminum Plating PC

Φ:69.0mm H:45.5mm Φ:14.5mm

真空镀铝

Code 型号	Typ.FWHM 标准角度	Typ.eff 标准效率
SL-06916E	16°	91%
SL-06924E	24°	91%
SL-06938E	38°	91%

CXM-14
CHM-14
CXA18
V13 Gen6
Vero13
1204 / 1205
LC020C
LC040C
EDC-47C
EDC-57C-20

NVCxL024Z
NFCxL060B



SL-075A

Vacuum Aluminum Plating PC
真空镀铝

Φ:75.0mm H:54mm Φ:18.0mm

Code 型号	Typ.FWHM 标准角度	Typ.eff 标准效率
SL-07515A	15°	91%
SL-07524A	24°	91%
SL-07538A	38°	91%
SL-07555A	55°	91%

CLU038



SL-095A

Vacuum Aluminum Plating PC
真空镀铝

Φ:95.0mm H:64mm Φ:18.0mm

Code 型号	Typ.FWHM 标准角度	Typ.eff 标准效率
SL-09512A	12°	91%
SL-09524A	24°	91%
SL-09538A	38°	91%

CLU038



SL-075B

Vacuum Aluminum Plating PC
真空镀铝

Φ:75.0mm H:53.5mm Φ:19.3mm

Code 型号	Typ.FWHM 标准角度	Typ.eff 标准效率
SL-07518B	18°	91%
SL-07526B	26°	91%
SL-07538B	38°	91%
SL-07555B	55°	91%

CXM-18
Vero18
V15 Gen6
V18 Gen6
1208
XTM-19
LC026B
LC033B
EDC-57C-30



SL-095B

Vacuum Aluminum Plating PC
真空镀铝

Φ:95.0mm H:63.5mm Φ:19.3mm

Code 型号	Typ.FWHM 标准角度	Typ.eff 标准效率
SL-09515B	15°	91%
SL-09524B	24°	91%
SL-09538B	38°	91%

CXM-18
Vero18
V15 Gen6
V18 Gen6
1208
XTM-19
LC026B
LC033B
EDC-57C-30



SL-075C

Vacuum Aluminum Plating PC
真空镀铝

Φ:75.0mm H:53.5mm Φ:14.5mm

Code 型号	Typ.FWHM 标准角度	Typ.eff 标准效率
SL-07515C	15°	90%
SL-07524C	24°	90%
SL-07538C	38°	90%
SL-07555C	55°	90%

CXM-14
CHM-14
CXA18
V13 Gen6
Vero13
1204/1205
LC020C
LC040C
EDC-47C
EDC-57C-20
NVCxL024Z
NFCxL060B



SL-075F

Vacuum Aluminum Plating PC
真空镀铝

Φ:75.0mm H:39.0mm Φ:15.0mm

Code 型号	Typ.FWHM 标准角度	Typ.eff 标准效率
SL-07515F	15°	90%
SL-07530F	30°	90%
SL-07545F	45°	90%

CXM-14
CHM-14
CXA18
V13 Gen6
Vero13
1204/1205
LC040C
EDC-47C
EDC-57C-20
NVCxL024Z
NFCxL060B

SL-PL-JG
TIR LENS

SL-D
TIR LENS

SL-B
ODR LENS

SL-A
REFLECTOR WITH LENS

II

KA · 商超

Applications: Lighting in Shopping Malls and Supermarket



II

SL-A
Reflector with dome
/ Reflector

反光杯加凸透镜
的主副光斑过渡均匀

单反光杯
效率高

Reflector with dome, improve light pattern uniformity.
Single reflector High efficiency (> 90%)

Vacuum Aluminum Plating PC
真空镀铝

SL-A-050J

Φ:50.0mm H:23.3mm Φ:21.6mm



DOMES

SL-A-050J-LENS
凸透镜

COVER

SL-050-CLEAR LENS
透明镜片
SL-050-MIX-LENS-A
磨砂镜片

Code 型号	Typ.FWHM 标准角度	Typ.eff 标准效率
SL-A-050J-S	16° - 22°	87%
SL-A-050J-M	22° - 32°	88%
SL-A-050J-L	38° - 40°	88%

COB LES 6-11mm

SL-050K

Φ:50.0mm H:22.7mm Φ:20.0mm



COVER

SL-050-CLEAR LENS
透明镜片
SL-050-MIX-LENS-A
磨砂镜片

Code 型号	Typ.FWHM 标准角度	Typ.eff 标准效率
SL-050K-S	11° - 24°	91%
SL-050K-M	22° - 30°	91%
SL-050K-F	38° - 51°	90%
SL-050K-L	47° - 50°	91%

COB LES 6-18mm

II

EACH RAY IS BRIGHTER IN SHINLAND
www.shinland.com.cn

灯珠的操作功率与光学器件的使用温度以整灯实测为主
The power usage of the COB and temperature of the optical components
are based on the actual testing of the luminaire.

SL-A-062B

Φ:62.0mm H:31.3mm Φ:25.1mm



DOME

SL-A-062B-LENS
凸透镜

COVER

SL-062-CLEAR LENS
透明镜片
SL-062-MIX-LENS-A
磨砂镜片

Code 型号	Typ.FWHM 标准角度	Typ.eff 标准效率
SL-A-062B-S	15°~ 17°	83%
SL-A-062B-M	20°~ 25°	83%
SL-A-062B-L	32°~ 38°	83%

COB LES 6-14mm

SL-062A

Φ:62.0mm H:30.6mm Φ:20.0mm



COVER

SL-062-CLEAR LENS
透明镜片
SL-062-MIX-LENS-A
磨砂镜片

Code 型号	Typ.FWHM 标准角度	Typ.eff 标准效率
SL-062A-S	13°~ 15°	93%
SL-062A-M	22°~ 24°	93%
SL-062A-L	35°~ 38°	93%
SL-062A-W	55°~ 60°	93%

COB LES 6-14mm

SL-A-075E

Φ:75.0mm H:41.7mm Φ:28.4mm



DOME

SL-A-075E-LENS
凸透镜

COVER

SL-075-CLEAR LENS
透明镜片
SL-075-MIX-LENS-A
磨砂镜片
SL-075-M / F / MOF /
WOF / FSQ /
WW-LENS-B 异形镜片

Code 型号	Typ.FWHM 标准角度	Typ.eff 标准效率
SL-A-075E-S	13°~ 19°	87%
SL-A-075E-M/LM	24° / 28°	89%
SL-A-075E-L	34°~ 39°	89%
SL-A-07565-N2	60°~65°	89%

COB LES 6-16.5mm

SL-075I

Φ:75.0mm H:41.0mm Φ:23.6mm



COVER

SL-075-CLEAR LENS
透明镜片
SL-075-MIX-LENS-A
磨砂镜片
SL-075-M / F / MOF /
WOF / FSQ /
WW-LENS-B 异形镜片

Code 型号	Typ.FWHM 标准角度	Typ.eff 标准效率
SL-075I-S	10°~ 21°	90%
SL-075I-M	25°~ 27°	91%
SL-075I-L	38°~ 41°	91%
SL-075I-W	58°~ 62°	92%

COB LES 6-20mm

SL-A-069C

Φ:69.0mm H:35.2mm Φ:28.4mm



DOME

SL-A-069C-LENS
凸透镜

COVER

SL-069-CLEAR LENS
透明镜片
SL-069-MIX-LENS-A
磨砂镜片
SL-069-M / F / WOF / FSQ
/ WW-LENS-B 异形镜片

Code 型号	Typ.FWHM 标准角度	Typ.eff 标准效率
SL-A-069C-S	14°~ 20°	87%
SL-A-069C-M	27°~ 30°	88%
SL-A-069C-L	37°~ 40°	88%

COB LES 6-16mm

SL-069D

Φ:69.0mm H:34.2mm Φ:23.6mm



COVER

SL-069-CLEAR LENS
透明镜片
SL-069-MIX-LENS-A
磨砂镜片
SL-069-M / F /
WOF / FSQ
/ WW-LENS-B
异形镜片

Code 型号	Typ.FWHM 标准角度	Typ.eff 标准效率
SL-069D-S	8°~ 23°	91%
SL-069D-M	26°~ 29°	92%
SL-069D-L	38°~ 42°	92%
SL-069D-W	55°~ 60°	92%

COB LES 6-20mm

SL-A-085A

Φ:85.0mm H:42.7mm Φ:31.0mm



DOME

SL-A-085A-LENS
凸透镜

COVER

SL-085-CLEAR LENS
透明镜片
SL-085-MIX-LENS-A
磨砂镜片

Code 型号	Typ.FWHM 标准角度	Typ.eff 标准效率
SL-A-085A-S	13°~ 17°	87%
SL-A-085A-M	23°~ 25°	88%
SL-A-085A-L	37°~ 40°	88%

COB LES 9-18mm

SL-085B

Φ:85.0mm H:42.0mm Φ:25.5mm



COVER

SL-085-CLEAR LENS
透明镜片
SL-085-MIX-LENS-A
磨砂镜片

Code 型号	Typ.FWHM 标准角度	Typ.eff 标准效率
SL-085B-S	9°~ 18°	90%
SL-085B-M	22°~ 24°	92%
SL-085B-L	35°~ 40°	93%
SL-085B-W	56°~ 61°	93%

COB LES 9-20mm

SL-A-092C

Φ:92.0mm H:46.2mm Φ:31.0mm



DOME

SL-A-092C-LENS
凸透镜

COVER

SL-092-CLEAR LENS
透明镜片
SL-092-MIX-LENS-A
磨砂镜片
SL-092-M / F / WOF / FSQ
/ WW-LENS-B 异形镜片

Code 型号	Typ.FWHM 标准角度	Typ.eff 标准效率
SL-A-092C-S	11°- 15°	86%
SL-A-092C-M	22°- 24°	87%
SL-A-092C-L	37°- 40°	87%

COB LES 9-17.5mm

SL-092D

Φ:92.0mm H:45.5mm Φ:25.7mm



COVER

SL-092-CLEAR LENS
透明镜片
SL-092-MIX-LENS-A
磨砂镜片
SL-092-M / F / WOF
/ FSQ / WW-LENS-B
异形镜片

Code 型号	Typ.FWHM 标准角度	Typ.eff 标准效率
SL-092D-S	8°- 12°	90%
SL-092D-M	21°- 22°	91%
SL-092D-L	38°- 42°	93%
SL-092D-W	57°- 60°	91%

COB LES 9-20mm

SL-A-110A

Φ:110.0mm H:53.7mm Φ:31.0mm



DOME

SL-A-110A-LENS
凸透镜

COVER

SL-110-CLEAR LENS
透明镜片
SL-110-MIX-LENS-A
磨砂镜片

Code 型号	Typ.FWHM 标准角度	Typ.eff 标准效率
SL-A-110A-S	9°-15°	84%
SL-A-110A-M	22°-24°	85%
SL-A-110A-L	35°-40°	85%

COB LES 9-20mm

SL-110B

Φ:110.0mm H:53.6mm Φ:25.6mm



COVER

SL-110-CLEAR LENS
透明镜片
SL-110-MIX-LENS-A
磨砂镜片

Code 型号	Typ.FWHM 标准角度	Typ.eff 标准效率
SL-110B-S	8°-12°	90%
SL-110B-M	22°- 25°	91%
SL-110B-L	38°- 42°	91%
SL-110B-W	57°- 63°	87%

COB LES 9-20mm


II

SL-B
ODR
LENS



小角度可搭配多种异形光斑镜片

Many Kinds of Beam Shape Modification as Auxiliary



超薄结构设计

Ultra thin Structure

Optical Transparent PC
光学级透明PC

SL-B-045BA

Φ:45.0mm H:11.0mm Φ:8.0mm

Code 型号	Typ.FWHM 标准角度	Typ.eff 标准效率
SL-B-045BA-S	11°	82%

CLU028
 CXM-6
 CHM-6
 CXM-7
 CXA13
 V6
 blx C6
 105
 LC010C

异形镜片

Different Optical Cover

SL-045-M-LENS-B
 SL-045-F-LENS-B
 SL-045-WOF-LENS-B
 SL-045-FSQ-LENS-B



SL-B-069BA

Φ:69.0mm H:16.5mm Φ:12.0mm

Code 型号	Typ.FWHM 标准角度	Typ.eff 标准效率
SL-B-069BA-S	11°	82%

CLU028
 CXM-9
 CHM-9
 CXA15
 V10 Gen6
 V10 Gen7
 E8
 blx C8
 Soleriq S9
 105
 1202/1203
 G4-10
 LC020C
 LC006B
 NJCxS024Z
 NTCxS024B
 NFCxL036B

异形镜片

Different Optical Cover

SL-069-M-LENS-B
 SL-069-F-LENS-B
 SL-069-WOF-LENS-B
 SL-069-FSQ-LENS-B
 SL-069-WW-LENS-B



SL-B-075BA

Φ:74.7mm H:17.5mm Φ:12.0mm

Code 型号	Typ.FWHM 标准角度	Typ.eff 标准效率
SL-B-075BA-S	11°	87%
SL-B-075BA-M	22°	85%

CLU028
 CXM-9
 CHM-9
 CXA15
 V10 Gen6
 V10 Gen7
 E8
 blx C8
 Soleriq S9
 105
 1202/1203
 G4-10
 LC020C
 LC006B
 NJCxS024Z
 NTCxS024B
 NFCxL036B

异形镜片

Different Optical Cover

SL-075-M-LENS-B
 SL-075-F-LENS-B
 SL-075-MOF-LENS-B
 SL-075-WOF-LENS-B
 SL-075-FSQ-LENS-B
 SL-075-WW-LENS-B



SL-B-075BB

Φ:74.7mm H:17.5mm Φ:14.0mm

Code 型号	Typ.FWHM 标准角度	Typ.eff 标准效率
SL-B-075BB-S	14°	82%
SL-B-075BB-M	22°	84%

CXA18
 Vero 13
 LC040C
 NFCWL060B
 NFCLL060B
 NVCWL024Z
 NVCLL024Z

异形镜片

Different Optical Cover

SL-075-M-LENS-B
 SL-075-F-LENS-B
 SL-075-MOF-LENS-B
 SL-075-WOF-LENS-B
 SL-075-FSQ-LENS-B
 SL-075-WW-LENS-B



SL-B-085BA

Φ:85.0mm H:18.1mm Φ:16.0mm

Code 型号	Typ.FWHM 标准角度	Typ.eff 标准效率
SL-B-085BA-S	13°	85%
SL-B-085BA-M	22°	85%

CLU038
 1208
 G4-17
 E13
 LC026B
 LC033B
 NVEXJ048Z
 NFCxJ108B



SL-B-092BA

Φ:92.0mm H:20.0mm Φ:17.4mm

Code 型号	Typ.FWHM 标准角度	Typ.eff 标准效率
SL-B-092BA-S	13°	82%

CLU038
 1208
 E13
 LC026B
 LC033B
 NVEXJ048Z
 NFCxJ108B

异形镜片

Different Optical Cover

SL-092-M-LENS-B
 SL-092-F-LENS-B
 SL-092-WOF-LENS-B
 SL-092-FSQ-LENS-B
 SL-092-WW-LENS-B


II

SL-D TIR LENS

超强控光能力 K值高

Strong in Light Control,
High Central Intensity


Optical Transparent PC
光学级透明PC



II

SL-D TIR LENS

Optical Transparent PC
光学级透明PC



SL-D-035DA

Φ:35.0mm H:17.6 Φ:12.0mm

Code 型号	Typ.FWHM 标准角度	Typ.eff 标准效率
SL-D-035DA-S	15°- 26°	71%
SL-D-035DA-M	22°- 28°	87%
SL-D-035DA-F	36°- 40°	87%

CLU028
 CLU701
 CLU080
 CXA13
 CXB13
 CXA15
 CXB15
 blx C6
 blx C8
 LC010C
 NJCxS024Z
 NTCxS024B



SL-D-050DA

Φ:49.6mm H:21.6 Φ:21.5mm

Code 型号	Typ.FWHM 标准角度	Typ.eff 标准效率
SL-D-050DA-S	17°	94%
SL-D-050DA-M	24°	93%
SL-D-050DA-F	36°	90%

CLU028
 CLU701
 CLU711
 CXM-6
 CHM-6
 CXM-7
 CXM-9
 CHM-9
 CXA13
 CXA15
 V10 Gen6
 V10 Gen7
 E8
 105
 1202/1203
 G4-10
 Soleriq S8
 LC010C
 LC020C
 LC006B
 XTM-9
 NJCxS024Z
 NTCxS024B
 NFCxL036B



SL-D-044DA

Φ:44.0mm H:20.2 Φ:11.8mm

Code 型号	Typ.FWHM 标准角度	Typ.eff 标准效率
SL-D-044DA-S	15°- 19°	72%
SL-D-044DA-M	22°- 25°	86%
SL-D-044DA-F	31°- 36°	86%

CLU028
 CLU701
 CLU080
 CXA13
 CXA15
 CXM-6
 CHM-6
 CXM-9
 CHM-9
 V8
 V10 Gen6
 V10 Gen7
 blx C6
 blx C8
 Soleriq S9
 105
 1202/1203
 G4-10
 LC020C
 LC006B
 EDC-38C
 NFCxL036B



SL-D-075DA

Φ:75.0mm H:33.0mm Φ:26.7mm

Code 型号	Typ.FWHM 标准角度	Typ.eff 标准效率
SL-D-075DA-S	15°	90%
SL-D-075DA-M	24°	90%
SL-D-075DA-F	38°	90%

★ 小角度可搭配异形镜片
Many Kinds of Beam Shape Modification as Accessory

CLU028
 CLU038
 CLU711
 CLU721
 CLU731
 CXM-9
 CXM-14
 CXM-18
 CHM-9
 CHM-14
 CXA15
 CXA18
 CXA1830
 V13 Gen6
 V13 Gen7
 V15 Gen6
 V18 Gen6
 Vero 13
 Vero 18
 E8
 E13
 Soleriq13
 1204/1205
 1208
 LC020C
 LC040C
 LC026B
 LC033B
 G4-17
 G4-10
 XTM-9
 EDC-38C
 EDC-47C
 EDC-57C-20
 NFWL060B
 NFCL060B
 NVCWL024Z
 NVCL024Z
 NFWJ108B
 NVExJ048Z

SL-PL-JG 极光透镜

II

Optical Transparent PMMA
光学级透明PMMA



Efficiency > 90%

UGR < 16

高中心光强 低眩光 高光效

High central intensity, low glare & high efficiency



II

SL-PL-JG

透镜扣点设计
与前环相扣固定
Buckle lens design and easy to fix
with the front ring

支架线扣设计
固定光源线
Easy to assemble COB
and COB holder



SL-PL-JG-070A

Φ:70.00mm H:33.00mm Φ:27.30mm

Code 型号	Typ.FWHM 标准角度	Typ.eff 标准效率
SL-PL-JG-070A -S	18°	92%
SL-PL-JG-070A -M	24°	92%
SL-PL-JG-070A -F	36°	92%

HOLDERS	COB
SL-HD-AI-18A	Tridonic G7
SL-HD-AI-18B	Lumileds 1208



SL-PL-JG-075A

Φ:75.00mm H:28.60mm Φ:30.58mm

Code 型号	Typ.FWHM 标准角度	Typ.eff 标准效率
SL-PL-JG-075A -S	18°	92%
SL-PL-JG-075A -M	24°	92%
SL-PL-JG-075A -F	36°	92%

HOLDERS	COB
SL-HD-AI-18A	Tridonic G7
SL-HD-AI-18B	Lumileds 1208



DARK
LIGHT
REFLECTOR

DARK
LIGHT
REFLECTOR
WITH
DOME



打造高端酒店照明设计

搭配SL-IV系列达到超高防眩效果

With SL-IV Series to Achieve The Best Anti-Glare Results



高中心光强
Light with Highly Centered Intensity



旋扣结构
Twist and Lock Structure



光斑截止清晰
Clear in Light Pattern

深防眩UGR < 12



DARK
LIGHT
REFLECTOR

1 : 1

Vacuum Aluminum Plating PC
真空镀铝



SL-RF-AG-035A

Φ:35.0mm H:35.0mm Φ:8.0mm

Code 型号	Typ.FWHM 标准角度	Typ.eff 标准效率
SL-RF-AG-035A-S	18°	81%
SL-RF-AG-035A-M	25°	84%
SL-RF-AG-035A-F	35°	84%

CLU701
CLU0A0
CLU0B0
CXM-6
CXM-7
CHM-6
CLM-6
CXA13
CXB13
LC010C

blx C6
VestaTW6

COVER

SL-PL-AE-035A
透明镜片
SL-PL-AE-035B
磨砂镜片
SL-PL-AE-035C
淡磨砂镜片



SL-RF-AG-045A

Φ:45.0mm H:45.0mm Φ:11.5mm

Code 型号	Typ.FWHM 标准角度	Typ.eff 标准效率
SL-RF-AG-045A-S	18°	83%
SL-RF-AG-045A-M	23°	83%
SL-RF-AG-045A-F	36°	85%

CLU028
CLU0A0
CLU0B0
CXM-9
CHM-9
CXA15
V10 Gen6
V10 Gen7
blx C8
1202/1203

Soleriq S9
NFCWL036B
NFCLL036B

COVER

SL-PL-AE-045A
透明镜片
SL-PL-AE-045B
磨砂镜片
SL-PL-AE-045C
淡磨砂镜片



SL-RF-AG-050A

Φ:50.0mm H:50.0mm Φ:12.0mm

Code 型号	Typ.FWHM 标准角度	Typ.eff 标准效率
SL-RF-AG-050A-S	18°	80%
SL-RF-AG-050A-M	23°	80%
SL-RF-AG-050A-F	36°	80%

CLU028
CLU0A0
CLU0B0
CXM-9
CHM-9
CXA15
V10 Gen6
V10 Gen7
blx C8
1202/1203

Soleriq S9
NFCWL036B
NFCLL036B

COVER

SL-PL-AE-050A
透明镜片
SL-PL-AE-050B
磨砂镜片




EACH RAY IS BRIGHTER IN SHINLAND
www.shinland.com.cn

DARK LIGHT REFLECTOR

1 : 0.8

Vacuum Aluminum Plating PC
真空镀铝



SL-RF-AG-028B

Φ:28.0mm H:22.4mm Φ:8.0mm

Code 型号	Typ.FWHM 标准角度	Typ.eff 标准效率
SL-RF-AG-028B-S	18°	85%
SL-RF-AG-028B-M	25°	85%
SL-RF-AG-028B-F	35°	85%

[CLU701](#)
[CLU0B0](#)
[CXM-6](#)
[CHM-6](#)
[CLM-6](#)
[CXA13](#)
[CXB13](#)
[V6 HD](#)
[blx C6](#)
[VestaTW6](#)

[LC010C](#)

COVER

SL-PL-AE-028A
透明镜片
 SL-PL-AE-028B
磨砂镜片
 SL-PL-AE-028C
淡磨砂镜片



SL-RF-AG-035B

Φ:35.0mm H:28.0mm Φ:8.0mm

Code 型号	Typ.FWHM 标准角度	Typ.eff 标准效率
SL-RF-AG-035B-S	19°	87%
SL-RF-AG-035B-M	24°	87%
SL-RF-AG-035B-F	36°	87%

[CLU701](#)
[CLU0A0](#)
[CLU0B0](#)
[CXM-6](#)
[CXM-7](#)
[CHM-6](#)
[CLM-6](#)
[CXA13](#)
[CXB13](#)
[LC010C](#)

[blx C6](#)
[VestaTW6](#)

COVER

SL-PL-AE-035A
透明镜片
 SL-PL-AE-035B
磨砂镜片
 SL-PL-AE-035C
淡磨砂镜片



SL-RF-AG-035C

Φ:35.0mm H:28.0mm Φ:11.6mm

Code 型号	Typ.FWHM 标准角度	Typ.eff 标准效率
SL-RF-AG-035C-M	24°	84%
SL-RF-AG-035C-F	36°	84%

[CLU028](#)
[CLU0A0](#)
[CLU0B0](#)
[CXM-9](#)
[CHM-9](#)
[CXA15](#)
[V10 Gen6](#)
[V10 Gen7](#)
[blx C8](#)
[1202/1203](#)

[Soleriq S9](#)
[NFCWL036B](#)
[NFCLL036B](#)

COVER

SL-PL-AE-035A
透明镜片
 SL-PL-AE-035B
磨砂镜片
 SL-PL-AE-035C
淡磨砂镜片



SL-RF-AG-045B

Φ:45.0mm H:36.0mm Φ:11.4mm

Code 型号	Typ.FWHM 标准角度	Typ.eff 标准效率
SL-RF-AG-045B-S	18°	85%
SL-RF-AG-045B-M	24°	85%
SL-RF-AG-045B-F	36°	85%

[CLU028](#)
[CLU0A0](#)
[CLU0B0](#)
[CXM-9](#)
[CHM-9](#)
[CXA15](#)
[V10 Gen6](#)
[V10 Gen7](#)
[blx C8](#)
[1202/1203](#)

[Soleriq S9](#)
[NFCWL036B](#)
[NFCLL036B](#)

COVER

SL-PL-AE-045A
透明镜片
 SL-PL-AE-045B
磨砂镜片
 SL-PL-AE-045C
淡磨砂镜片



SL-RF-AG-050B

Φ:50.0mm H:40.0mm Φ:12.0mm

Code 型号	Typ.FWHM 标准角度	Typ.eff 标准效率
SL-RF-AG-050B-S	18°	86%
SL-RF-AG-050B-M	24°	86%
SL-RF-AG-050B-F	36°	86%

[CLU028](#)
[CLU0A0](#)
[CLU0B0](#)
[CXM-9](#)
[CHM-9](#)
[CXA15](#)
[V10 Gen6](#)
[V10 Gen7](#)
[blx C8](#)
[1202/1203](#)

[Soleriq S9](#)
[NFCWL036B](#)
[NFCLL036B](#)

COVER

SL-PL-AE-050A
透明镜片
 SL-PL-AE-050B
磨砂镜片

黑光技术防眩 光效更高

Dark Light Anti-glare Technology
Higher Light Efficiency

III

DARK LIGHT REFLECTOR WITH DOME

Vacuum Aluminum Plating PC
真空镀铝



SL-RF-AD-055A

Φ:55.0mm H:33.5mm Φ:23.0mm

Code 型号	Typ.FWHM 标准角度	Typ.eff 标准效率
SL-RF-AD-055A-S	17°	85%
SL-RF-AD-055A-M	24°	85%
SL-RF-AD-055A-F	38°	85%

MATCHED LED 匹配光源

HOLDER 支架型号

CXA15
SL-HD-AD-11A
CLU028 /G4-10
SL-HD-AD-12A
1202/1203
SL-HD-AD-12B

DOME / 凸透镜

SL-PL-AD-020A

COVER / 镜片

SL-PL-AE-055A



SL-RF-AD-065A

Φ:65.0mm H:38.9mm Φ:26.4mm

Code 型号	Typ.FWHM 标准角度	Typ.eff 标准效率
SL-RF-AD-065A-S	14°- 20°	87%
SL-RF-AD-065A-M	22°- 24°	87%
SL-RF-AD-065A-F	34°- 37°	86%

MATCHED LED 匹配光源

HOLDER 支架型号

CXA15
SL-HD-AD-11A
CLU028 /G4-10
SL-HD-AD-12A
1202/1203
SL-HD-AD-12B

DOME / 凸透镜

SL-PL-AD-027A

COVER / 镜片

SL-PL-AE-065A



SL-RF-AD-075A

Φ:75.0mm H:45.5mm Φ:30.1mm

Code 型号	Typ.FWHM 标准角度	Typ.eff 标准效率
SL-RF-AD-075A-S	15°- 20°	86%
SL-RF-AD-075A-M	19°- 23°	83%
SL-RF-AD-075A-F	27°- 35°	83%

MATCHED LED 匹配光源

HOLDER 支架型号

CXA18
SL-HD-AD-14A
CLU721/CXM-14
SL-HD-AD-16A
CLU038
SL-HD-AD-17A

DOME / 凸透镜

SL-PL-AD-030B

COVER / 镜片

SL-PL-AE-075A



SL-RF-AD-085A

Φ:85.0mm H:46.3mm Φ:32.5mm

Code 型号	Typ.FWHM 标准角度	Typ.eff 标准效率
SL-RF-AD-085A-S	16°- 19°	88%
SL-RF-AD-085A-M	23°- 26°	89%
SL-RF-AD-085A-F	38°- 42°	89%

MATCHED LED 匹配光源

HOLDER 支架型号

CXA18
SL-HD-AD-14A
CLU721/CXM-14
SL-HD-AD-16A
CLU038
SL-HD-AD-17A

DOME / 凸透镜

SL-PL-AD-032A

COVER / 镜片

SL-PL-AE-085A



SL-050L

Φ:50.0mm H:51.0mm Φ:10.4mm

Code 型号	Typ.FWHM 标准角度	Typ.eff 标准效率	COVER
SL-050L-S	8°-13°	80%	SL-050-CLEAR LENS 透明镜片
SL-050L-M	21°-25°	80%	SL-050-MIX-LENS-A 磨砂镜片
SL-050L-L	36°-39°	80%	

III

DARK
LIGHT
REFLECTOR



MATCHED LED

- CLU028
- CLU701
- CXM-6
- CHM-6
- CXM-7
- CXM-9
- CHM-9
- CXA13
- CXA15
- C6
- V10 Gen6
- V10 Gen7
- E8
- blx C6
- blx C8
- Soleriq S9
- 105
- 1202/1203
- G4-10
- LC006B
- LC010C
- LC020C
- NJCxS024Z
- NTCxS024B
- NFCxL036B

IV

SL-RF-AF
ANTI-GLARE
TRIM

为高防眩要求空间
提供系统化产品方案

Provide Systematic Product Solutions for
Spaces With High Anti-Glare Requirements




可搭配反光杯或透镜切换使用

Exchangeable with Reflector and Lens



三种应用方式

3 Different Applications



SL-RF-AF-030A

Vacuum Aluminum Plating PC
真空镀铝

Φ:30.0mm H:8.2mm Φ:19.8mm



SL-RF-AF-040A

Vacuum Aluminum Plating PC
真空镀铝

Φ:40.0mm H:11mm Φ:28mm



SL-RF-AF-030A-RD




SL-PL-AG-020A




SL-RF-AF-040A-RD




SL-PL-AG-028A
SL-PL-DG-028A




SL-PL-AE-022A




SL-PL-AE-022B




SL-PL-AE-028A




SL-PL-AE-028B



SL-PL-AE-028C



SL-RF-AA-022A



SL-RF-AG-028B
SL-030A

L001 珍珠白
L a b
98.30 -0.71 1.24

Y003 象牙白
L a b
96.97 -1.15 2.55

L201 月光银
L a b
93.85 -0.45 2.16

Y204 亚麻银
L a b
90.66 -0.70 1.66

Y206 神秘银
L a b
78.29 -0.53 -0.15

L304 香槟金
L a b
87.30 -1.77 43.40

L301 土豪金
L a b
76.91 17.15 68.18

L401 魅惑金
L a b
61.41 45.59 50.96

L501 孔雀绿
L a b
60.50 -5.31 21.41

L102 耀目黑
L a b
66.50 -0.90 1.21

L103 玛瑙黑
L a b
30.29 -0.02 2.24

Y103 深空黑
L a b
24.63 0.04 -0.89



SL-RF-AF-050A

Vacuum Aluminum Plating PC
真空镀铝



Φ:50.0mm H:13.7mm Φ:32.6mm



SL-RF-AF-070A

Vacuum Aluminum Plating PC
真空镀铝

Φ:70.0mm H:22.8mm Φ:43.0mm



L001 珍珠白

L	a	b
98.30	-0.71	1.24

Y003 象牙白

L	a	b
96.97	-1.15	2.55

L201 月光银

L	a	b
93.85	-0.45	2.16

Y204 亚麻银

L	a	b
90.66	-0.70	1.66

Y206 神秘银

L	a	b
78.29	-0.53	-0.15

L304 香槟金

L	a	b
87.30	-1.77	43.40

L301 土豪金

L	a	b
76.91	17.15	68.18

L401 魅惑金

L	a	b
61.41	45.59	50.96

L501 孔雀绿

L	a	b
60.50	-5.31	21.41

L102 耀目黑

L	a	b
66.50	-0.90	1.21

L103 玛瑙黑

L	a	b
30.29	-0.02	2.24

Y103 深空黑

L	a	b
24.63	0.04	-0.89




SL-RF-AF-050B/C/D/E

Vacuum Aluminum Plating PC
真空镀铝

Φ: 50.0mm H: 18.0mm

Code 型号	APPLICATION 标准应用
SL-RF-AF-050B-RA	ROUND ADJUSTABLE
SL-RF-AF-050C-RA	ROUND ADJUSTABLE
SL-RF-AF-050D-RA	ROUND ADJUSTABLE
SL-RF-AF-050B-RD	ROUND DOWNLIGHT
SL-RF-AF-050B-RW	ROUND WALLWASHER
SL-RF-AF-050C-RW	ROUND WALLWASHER
SL-RF-AF-050E -RA	ROUND ADJUSTABLE



L001 珍珠白

L	a	b
98.30	-0.71	1.24

Y003 象牙白

L	a	b
96.97	-1.15	2.55

L201 月光银

L	a	b
93.85	-0.45	2.16

Y204 亚麻银

L	a	b
90.66	-0.70	1.66

Y206 神秘银

L	a	b
78.29	-0.53	-0.15

L304 香槟金

L	a	b
87.30	-1.77	43.40

L301 土豪金

L	a	b
76.91	17.15	68.18

L401 魅惑金

L	a	b
61.41	45.59	50.96

L501 孔雀绿

L	a	b
60.50	-5.31	21.41

L102 耀目黑

L	a	b
66.50	-0.90	1.21

L103 玛瑙黑

L	a	b
30.29	-0.02	2.24

Y103 深空黑

L	a	b
24.63	0.04	-0.89




SL-RF-AF-050B

Vacuum Aluminum Plating PC

L: 50.0mm W: 50.0mm H: 18.0mm

真空镀铝

Code 型号	APPLICATION 标准应用
SL-RF-AF-050B-SA	SQUARE ADJUSTABLE
SL-RF-AF-050B-SD	SQUARE DOWNLIGHT
SL-RF-AF-050B-SW	SQUARE WALLWASHER



L001 珍珠白
L a b
98.30 -0.71 1.24

Y003 象牙白
L a b
96.97 -1.15 2.55

L201 月光银
L a b
93.85 -0.45 2.16

Y204 亚麻银
L a b
90.66 -0.70 1.66

Y206 神秘银
L a b
78.29 -0.53 -0.15

L304 香槟金
L a b
87.30 -1.77 43.40

L301 土豪金
L a b
76.91 17.15 68.18

L401 魅惑金
L a b
61.41 45.59 50.96

L501 孔雀绿
L a b
60.50 -5.31 21.41

L102 耀目黑
L a b
66.50 -0.90 1.21

L103 玛瑙黑
L a b
30.29 -0.02 2.24

Y103 深空黑
L a b
24.63 0.04 -0.89




SL-RF-AF-070B/C/D/E

Vacuum Aluminum Plating PC

Φ: 70.0mm H: 27.0mm

真空镀铝

Code 型号	APPLICATION 标准应用
SL-RF-AF-070B-RA	ROUND ADJUSTABLE
SL-RF-AF-070C-RA	ROUND ADJUSTABLE
SL-RF-AF-070D-RA	ROUND DOWNLIGHT
SL-RF-AF-070B-RD	ROUND ADJUSTABLE
SL-RF-AF-070B-RW	ROUND WALLWASHER
SL-RF-AF-070E-RA	ROUND ADJUSTABLE



L001 珍珠白
L a b
98.30 -0.71 1.24

Y003 象牙白
L a b
96.97 -1.15 2.55

L201 月光银
L a b
93.85 -0.45 2.16

Y204 亚麻银
L a b
90.66 -0.70 1.66

Y206 神秘银
L a b
78.29 -0.53 -0.15

L304 香槟金
L a b
87.30 -1.77 43.40

L301 土豪金
L a b
76.91 17.15 68.18

L401 魅惑金
L a b
61.41 45.59 50.96

L501 孔雀绿
L a b
60.50 -5.31 21.41

L102 耀目黑
L a b
66.50 -0.90 1.21

L103 玛瑙黑
L a b
30.29 -0.02 2.24

Y103 深空黑
L a b
24.63 0.04 -0.89




SL-RF-AF-070B

Vacuum Aluminum Plating PC

L: 70.0mm W: 70.0mm H: 27.0mm

真空镀铝

Code 型号	APPLICATION 标准应用
SL-RF-AF-070B-SA	SQUARE ADJUSTABLE
SL-RF-AF-070B-SD	SQUARE DOWNLIGHT
SL-RF-AF-070B-SW	SQUARE WALLWASHER



L001 珍珠白
L a b
98.30 -0.71 1.24

Y003 象牙白
L a b
96.97 -1.15 2.55

L201 月光银
L a b
93.85 -0.45 2.16

Y204 亚麻银
L a b
90.66 -0.70 1.66

Y206 神秘银
L a b
78.29 -0.53 -0.15

L304 香槟金
L a b
87.30 -1.77 43.40

L301 土豪金
L a b
76.91 17.15 68.18

L401 魅惑金
L a b
61.41 45.59 50.96

L501 孔雀绿
L a b
60.50 -5.31 21.41

L102 耀目黑
L a b
66.50 -0.90 1.21

L103 玛瑙黑
L a b
30.29 -0.02 2.24

Y103 深空黑
L a b
24.63 0.04 -0.89




SL-RF-AF-090A/B/C/D

Vacuum Aluminum Plating PC

Φ: 90.0mm H: 35.0mm

真空镀铝

Code 型号	APPLICATION 标准应用
SL-RF-AF-090A-RA	ROUND ADJUSTABLE
SL-RF-AF-090B-RA	ROUND ADJUSTABLE
SL-RF-AF-090C-RA	ROUND ADJUSTABLE
SL-RF-AF-090A-RD	ROUND DOWNLIGHT
SL-RF-AF-090A-RW	ROUND WALLWASHER
SL-RF-AF-090D-RA	ROUND ADJUSTABLE



L001 珍珠白
L a b
98.30 -0.71 1.24

Y003 象牙白
L a b
96.97 -1.15 2.55

L201 月光银
L a b
93.85 -0.45 2.16

Y204 亚麻银
L a b
90.66 -0.70 1.66

Y206 神秘银
L a b
78.29 -0.53 -0.15

L304 香槟金
L a b
87.30 -1.77 43.40

L301 土豪金
L a b
76.91 17.15 68.18

L401 魅惑金
L a b
61.41 45.59 50.96

L501 孔雀绿
L a b
60.50 -5.31 21.41

L102 耀目黑
L a b
66.50 -0.90 1.21

L103 玛瑙黑
L a b
30.29 -0.02 2.24

Y103 深空黑
L a b
24.63 0.04 -0.89



SL-RF-AF-090A


Vacuum Aluminum Plating PC

L: 90.0mm W: 90.0mm H: 35.0mm

真空镀铝



Code 型号	APPLICATION 标准应用
SL-RF-AF-090A-SA	SQUARE ADJUSTABLE
SL-RF-AF-090A-SD	SQUARE DOWNLIGHT
SL-RF-AF-090A-SW	SQUARE WALLWASHER



L001 珍珠白
L a b
98.30 -0.71 1.24

Y003 象牙白
L a b
96.97 -1.15 2.55

L201 月光银
L a b
93.85 -0.45 2.16

Y204 亚麻银
L a b
90.66 -0.70 1.66

Y206 神秘银
L a b
78.29 -0.53 -0.15

L304 香槟金
L a b
87.30 -1.77 43.40

L301 土豪金
L a b
76.91 17.15 68.18

L401 魅惑金
L a b
61.41 45.59 50.96

L501 孔雀绿
L a b
60.50 -5.31 21.41

L102 耀目黑
L a b
66.50 -0.90 1.21

L103 玛瑙黑
L a b
30.29 -0.02 2.24

Y103 深空黑
L a b
24.63 0.04 -0.89



SL-RF-AF-115A-RA

Vacuum Aluminum Plating PC

Φ:115.0mm H:42.0mm

真空镀铝




Code 型号	APPLICATION 标准应用
SL-RF-AF-115A-RA	ROUND ADJUSTABLE



SL-RF-AF-115A-RA



SL-062-MIXING LENS



SL-062A

L001 珍珠白
L a b
98.30 -0.71 1.24

Y003 象牙白
L a b
96.97 -1.15 2.55

L201 月光银
L a b
93.85 -0.45 2.16

Y204 亚麻银
L a b
90.66 -0.70 1.66

Y206 神秘银
L a b
78.29 -0.53 -0.15

L304 香槟金
L a b
87.30 -1.77 43.40

L301 土豪金
L a b
76.91 17.15 68.18


L401 魅惑金
L a b
61.41 45.59 50.96

L501 孔雀绿
L a b
60.50 -5.31 21.41

L102 耀目黑
L a b
66.50 -0.90 1.21

L103 玛瑙黑
L a b
30.29 -0.02 2.24


Y103 深空黑
L a b
24.63 0.04 -0.89



SL-RF-AF-050F-RD

Vacuum Aluminum Plating PC
真空镀铝

Φ:50.00mm H:15.00mm Φ:23.80mm



SL-RF-AF-070F-RD

Vacuum Aluminum Plating PC
真空镀铝



Φ:70.0mm H:22.0mm Φ:33.0mm



产品型号	标准应用
SL-RF-AF-050F-RD	ROUND DOWNLIGHT



产品型号	标准应用
SL-RF-AF-070F-RD	ROUND DOWNLIGHT



L001 珍珠白
L a b
98.30 -0.71 1.24

Y003 象牙白
L a b
96.97 -1.15 2.55

L201 月光银
L a b
93.85 -0.45 2.16

Y204 亚麻银
L a b
90.66 -0.70 1.66

Y206 神秘银
L a b
78.29 -0.53 -0.15

L304 香槟金
L a b
87.30 -1.77 43.40

L301 土豪金
L a b
76.91 17.15 68.18


L401 魅惑金
L a b
61.41 45.59 50.96

L501 孔雀绿
L a b
60.50 -5.31 21.41

L102 耀目黑
L a b
66.50 -0.90 1.21

L103 玛瑙黑
L a b
30.29 -0.02 2.24


Y103 深空黑
L a b
24.63 0.04 -0.89



SL-RF-AF-050G-RD

Vacuum Aluminum Plating PC
真空镀铝

Φ:50.0mm H:15.5mm Φ:29.5mm



SL-RF-AF-070G-RD

Vacuum Aluminum Plating PC
真空镀铝



Φ:70.0mm H:21.0mm Φ:38.0mm



产品型号	标准应用
SL-RF-AF-050G-RD	ROUND DOWNLIGHT



产品型号	标准应用
SL-RF-AF-070G-RD	ROUND DOWNLIGHT



L001 珍珠白
L a b
98.30 -0.71 1.24

Y003 象牙白
L a b
96.97 -1.15 2.55

L201 月光银
L a b
93.85 -0.45 2.16

Y204 亚麻银
L a b
90.66 -0.70 1.66

Y206 神秘银
L a b
78.29 -0.53 -0.15

L304 香槟金
L a b
87.30 -1.77 43.40

L301 土豪金
L a b
76.91 17.15 68.18

L401 魅惑金
L a b
61.41 45.59 50.96

L501 孔雀绿
L a b
60.50 -5.31 21.41

L102 耀目黑
L a b
66.50 -0.90 1.21

L103 玛瑙黑
L a b
30.29 -0.02 2.24


Y103 深空黑
L a b
24.63 0.04 -0.89



SL-RF-AF-090G-RD

Φ:90.0mm H:26.0mm Φ:48.1mm Vacuum Aluminum Plating PC 真空镀铝

产品型号	标准应用
SL-RF-AF-090G-RD	ROUND DOWNLIGHT



L	a	b
98.30	-0.71	1.24

L	a	b
96.97	-1.15	2.55

L	a	b
93.85	-0.45	2.16

L	a	b
90.66	-0.70	1.66

L	a	b
78.29	-0.53	-0.15

L	a	b
87.30	-1.77	43.40

L	a	b
76.91	17.15	68.18

L	a	b
61.41	45.59	50.96

L	a	b
60.50	-5.31	21.41

L	a	b
66.50	-0.90	1.21

L	a	b
30.29	-0.02	2.24

L	a	b
24.63	0.04	-0.89

SL-RF-AE
PROFILE LINEAR II

SL-E
PROFILE LINEAR

V

自带防眩
外观可自由拼接设计

Comes with Anti-glare
Freely Spliced

多元素线性光学解决方案

Diversified Linear Optical
Solutions



EACH RAY IS BRIGHTER IN SHINLAND
www.shinland.com.cn


SL-E-025EA

Vacuum Aluminum Plating PC
真空镀铝

L:27.4mm W:27.4mm H:21.9mm



Code 型号	Typ.FWHM 标准角度	Typ.eff 标准效率
SL-E-025EA-S	12°	90%
SL-E-025EA-F	34°	90%
SL-E-025EA-W	48°	90%



XPH35
XP-L
XP-G2/3
XP-E2
Oslon
LUXEON T
LUXEON TX
LUXEON REBEL ES


SL-E-132EA

Vacuum Aluminum Plating PC
真空镀铝

L:132.8mm W:30.0mm H:21.9mm



Code 型号	Typ.FWHM 标准角度	Typ.eff 标准效率
SL-E-132EA-S	12°	90%
SL-E-132EA-F	34°	90%
SL-E-132EA-W	48°	90%



XPH35
XP-L
XP-G2/3
XP-E2
Oslon
LUXEON T
LUXEON TX
LUXEON REBEL ES

SL-E-132EB

Aluminum Plating PC
真空镀铝


L:132.8mm W:30.0mm H:21.9mm



Code 型号	Typ.FWHM 标准角度	Typ.eff 标准效率
SL-E-132EB	WALL WASH	65%




SL-E-132EB-COVER-00



SL-E-132EB-LENS



SL-E-132EB




SL-E-132EB-WW



- XPH25
- XP-L
- XP-G2/3
- XP-E2
- Oslon
- SST-20-WTH
- LUXEON T
- LUXEON TX
- LUXEON REBEL ES

SL-RF-AE
PROFILE LINEAR II



自带防眩
自由拼接

Comes with Anti-glare
Freely Spliced

同尺寸
9种光型任意切换

Exchangeable with 9 Different Light Pattern with
Same Dimension



Wall
Washer

1 : 3 : 1



12°



20°



34°



48°

Spot
Light



55° * 55°



40° * 65°



40°



60°

Round
Light


SL-RF-AE-030A

Vacuum Aluminum Plating PC
真空镀铝

L:30.0mm W:30.0mm H:21.15mm




Code 型号	Typ.FWHM 标准角度	Typ.eff 标准效率
SL-RF-AE-030A-S	15°	88%
SL-RF-AE-030A-M	24°	88%
SL-RF-AE-030A-F	34°	88%
SL-RF-AE-030A-W	48°	88%




SL-RF-AE-030A

Vacuum Aluminum Plating PC
真空镀铝

L:30.0mm W:30.0mm H:21.15mm



Code 型号	Typ.FWHM 标准角度	Typ.eff 标准效率
SL-RF-AE-030A-FF	Flood 40°	88%
SL-RF-AE-030A-FW	Flood 60°	88%
SL-RF-AE-030A-RWW	Square 55° * 55°	85%
SL-RF-AE-030A-RFL	Rectangular 40° * 65°	85%



SL-RF-AE-030A

Vacuum Aluminum Plating PC
真空镀铝

L:30.0mm W:30.0mm H:21.15mm



Wallwasher



Code 型号	Typ.FWHM 标准角度	Typ.eff 标准效率
SL-RF-AE-030A-WW	Wallwasher	70%




SL-RF-AE-030A-WW




SL-HD-AF-027A




SL-HD-AF-053A




SL-HD-AF-087A



SL-HD-AF-087B



SL-HD-AF-057A




XP-G2/3
XP-E2
SST-20-WTH
Oslon

SL-RF-AE-150A

Vacuum Aluminum Plating PC
真空镀铝


L:150.0mm W:30.0mm H:21.15mm




Code 型号	Typ.FWHM 标准角度	Typ.eff 标准效率
SL-RF-AE-150A-S	15°	88%
SL-RF-AE-150A-M	24°	88%
SL-RF-AE-150A-F	34°	88%
SL-RF-AE-150A-W	48°	88%




SL-RF-AE-150A-S




SL-RF-AE-150A-M




SL-RF-AE-150A-F



SL-RF-AE-150A-W



SL-HD-AF-147A




XP-G2/3
XP-E2
SST-20-WTH
Oslon

SL-RF-AE-150A


L:150.0mm W:30.0mm H:21.15mm

Vacuum Aluminum Plating PC
真空镀铝




Code 型号	Typ.FWHM 标准角度	Typ.eff 标准效率
SL-RF-AE-150A-FW	Flood 60°	88%
SL-RF-AE-150A-RWW	Square 55° * 55°	85%
SL-RF-AE-150A-RFL	Rectangular 40° * 65°	85%
SL-RF-AE-150A-WW	Wallwasher	70%


SL-RF-AE-150A-FW



SL-RF-AE-150A-RWW




SL-RF-AE-150A-RFL



SL-RF-AE-150A-WW



SL-HD-AF-147A



XP-G2/3
XP-E2
SST-20-WTH
Oslon

SL-RF-AE-187A


Vacuum Aluminum Plating PC
真空镀铝

L:190.0mm W:38.0mm H:26.0mm




Code 型号	Typ.FWHM 标准角度	Typ.eff 标准效率
SL-RF-AE-187A-M	21°-24°	86%
SL-RF-AE-187A-F	33°-36°	86%

SL-RF-AE-187A



SL-RF-AE-187A-M



SL-RF-AE-187A-F



SL-PL-AK-169A-X



5050 Package
S8

SL-RF-AE-225A


Vacuum Aluminum Plating PC
真空镀铝

L:228mm W: 38mm H:26mm




Code 型号	Typ.FWHM 标准角度	Typ.eff 标准效率
SL-RF-AE-225A-F	33°-39°	86%

SL-RF-AE-228A



SL-RF-AE-225A-F



SL-PL-AK-224A



5050 Package
S8
7070 Package
S10

SL-PL-AM FRONT FOCAL LENS

VI

小开孔
出大光斑

Small Hole with
Large Light Pattern



VI

EACH RAY IS BRIGHTER IN SHINLAND
www.shinland.com.cn

SL-PL-AM FRONT FOCAL LENS
黑洞透镜

小孔出光
效率高 (70%)

Small Aperture Light Distribution, High Efficiency

高灯具前罩 (低眩光)
High Luminaire Front Cover
(Lower Glare)




矮灯具前罩 (高效率)
Low Luminaire Front Cover
(Higher Efficiency)



防眩罩倒拔模设计,
内壁亮面设计
降低眩光


Anti Glare Trim with Reverse
Draft Design, Lower Glare by
Glossy Inside



独特的菱形单元
费马螺旋外观
Unique Diamond-Shaped
Fermat Spiral Appearance



小中大可分光斑
Clear of Different Size Light
Pattern



NEW

SL-PL-AM-020B

Φ:20.0mm H: 14.9mm Φ:4.7mm

Code 型号	Typ.FWHM 标准角度	module,eff High/Low Anti-Glare Trim 成套效率 (高/矮防眩罩)
SL-PL-AM-020B-M	24°	46% / 52%
SL-PL-AM-020B-F	36°	63% / 72%
SL-PL-AM-020B-W	45	55% / 68%




NEW


SL-PL-AM-025B

Φ:25.0mm H:20.4mm Φ:6.8mm

Code 型号	Typ.FWHM 标准角度	module,eff High/Low Anti-Glare Trim 成套效率 (高/矮防眩罩)
SL-PL-AM-025B-M	24°	52% / 60%
SL-PL-AM-025B-F	36°	63% / 68%
SL-PL-AM-025B-W	45	52% / 64%




■ 匹配光源 MATCHED LED	V3HD	CXM-3	其他LES 3
■ 支架型号 HOLDER	SL-HD-JY-V4HD-1	SL-HD-JY-CXM-4-1	/



■ 匹配光源 MATCHED LED	V3HD V4HD	CXM-3 CXM-4	其他LES 3/4
■ 支架型号 HOLDER	SL-V4HD-HD-A	SL-bix C6-HD-A	/



EACH RAY IS BRIGHTER IN SHINLAND
www.shinland.com.cn




NEW

SL-PL-AM-032B

Φ:32.0mm H:24.0mm Φ:10.0mm

Code 型号	Typ.FWHM 标准角度	module.eff High/Low Anti-Glare Trim 成套效率 (高/矮防眩罩)
SL-PL-AM-032B-M	24°	47% / 50%
SL-PL-AM-032B-F	36°	57% / 64%
SL-PL-AM-032B-W	45°	56% / 65%




■ 匹配光源 MATCHED LED	C6 V4 HD CXM-4 CTM-6	其他 LES 4/6
■ 支架型号 HOLDER	SL-blx C6-HD-A	/



SL-PL-AM-042A

Φ:45.0mm H:35.0mm Φ:9.8mm

Code 型号	Typ.FWHM 标准角度	Typ.eff 标准效率	module.eff 成套效率
SL-PL-AM-042A-M	24°	83%	45%
SL-PL-AM-042A-F	36°	83%	60%



EXCHANGEABLE DESIGN

VII

反光杯与透镜 任意切换


Exchangeable Between
Reflector and Lens



UGR < 9

光斑饱满，角度区分度高

Perfect Light Pattern
High Definition in Angle





SL-RF-AO-048A

Φ:47.5mm H:24.8mm Φ:14.4mm




SL-PL-AO-048A

Φ:47.5mm H:24.8mm Φ:15.0mm

Code 型号	Typ.FWHM 标准角度	Typ.eff 标准效率
SL-RF-AO-048A-S	14°-18°	82%
SL-RF-AO-048A-M	20°-25°	82%
SL-RF-AO-048A-F	37°-42°	82%

Code 型号	Typ.FWHM 标准角度	Typ.eff 标准效率
SL-PL-AO-048A-S	14°-19°	88%
SL-PL-AO-048A-M	22°-27°	89%
SL-PL-AO-048A-F	33°-39°	89%



SL-PL-AE-048A
H: 18-24mm, 防眩罩自行设计
此光学搭配防眩罩结构方可达到最佳效果

Vacuum
Aluminum
Plating
PC
真空镀铝

支架型号 HOLDER	HD-AD-09A
匹配光源 MATCHED LED	V6 HD/CXM-9/CLU701
	CXA15
	CLU028/CXM-9

CLU701
CLU028
CXM-6
CXM-9
V6 HD
CXA15



SL-RF-AO-062A

Φ:62.0mm H:28.0mm Φ:30.0mm




SL-PL-AO-062A

Φ:62.0mm H:28.0mm Φ:28.0mm

Code 型号	Typ.FWHM 标准角度	Typ.eff 标准效率
SL-RF-AO-062A-S	11°-20°	84%
SL-RF-AO-062A-M	22°-26°	84%
SL-RF-AO-062A-F	28°-36°	84%

Code 型号	Typ.FWHM 标准角度	Typ.eff 标准效率
SL-PL-AO-062A-S	11°-20°	88%
SL-PL-AO-062A-M	20°-27°	88%
SL-PL-AO-062A-F	30°-34°	88%



SL-PL-AE-062A
H: 15-25mm, 防眩罩自行设计
此光学搭配防眩罩结构方可达到最佳效果

Vacuum
Aluminum
Plating
PC
真空镀铝

支架型号 HOLDER	SL-HD-AD-11A
匹配光源 MATCHED LED	SL-HD-AD-11B
	SL-HD-AD-12A
	CLU028

CLU028
CXA15
CXM-9



SL-RF-AO-072A

Φ:72.0mm H:32.0mm Φ:22.0mm




SL-PL-AO-072A

Φ:72.0mm H:32.0mm Φ:27.5mm

Code 型号	Typ.FWHM 标准角度	Typ.eff 标准效率
SL-RF-AO-072A-S	11°-20°	80%
SL-RF-AO-072A-M	22°-26°	80%
SL-RF-AO-072A-F	28°-36°	80%

Code 型号	Typ.FWHM 标准角度	Typ.eff 标准效率
SL-PL-AO-072A-S	11°-20°	86%
SL-PL-AO-072A-M	20°-27°	86%
SL-PL-AO-072A-F	30°-34°	90%



SL-PL-AE-072A

H: 20-30mm, 防眩罩自行设计
此光学搭配防眩罩结构方可达到最佳效果

Vacuum
Aluminum
Plating
PC
真空镀铝

四腔光源	支路型号
CXA15/CXB15	SL-HD-AD-11A
CXA9	SL-HD-AD-11B
CLU028	SL-HD-AD-12A
CXA18	SL-HD-AD-14A
CLU038	SL-HD-AD-17A
1208	SL-HD-AD-18A

CLU028
CLU038
CXA15
CXB15
CXA18
CXM-9
1208

SL-RF-AQ MAGNETIC LINEAR REFLECTOR

VIII

搭配A.A.G. Stucchi的磁轨

Compatible with A.A.G. Stucchi
Magnetic Linear Reflector

双色温方案

Tunable Color Temperature
Solutions



UGR < 16


SL-RF-AQ-137A

Vacuum Aluminum Plating PC
真空镀铝

L:140.0mm W:22.3mm H:11.1mm



Code 型号	Typ.FWHM 标准角度	Typ.eff 标准效率
SL-RF-AQ-137A-RWW	63°*63°	70%



SL-RF-AI-140A



SL-RF-AQ-137A-RWW



SL-PL-AK-128A-X

2835 Package:
DURIS E 2835
3030 Package:
DURIS S5


SL-RF-AQ-137B

Vacuum Aluminum Plating PC
真空镀铝

L:140.0mm W:18.9mm H:17.2mm




Code 型号	Typ.FWHM 标准角度	Typ.eff 标准效率
SL-RF-AQ-137B-M	26°	65%
SL-RF-AQ-137B-F	36°	66%
SL-RF-AQ-137B-W	47°	67%




SL-RF-AI-140B



SL-RF-AQ-137B-M



SL-RF-AQ-137B-F



SL-RF-AQ-137B-W



SL-PL-AK-128A-X

2835 Package:
DURIS E 2835
3030 Package:
DURIS S5



SL-PL-AG TIR

SL-PL-DG

SL-PL-JY

IX

酒店透镜

打造五星级质感光斑

Hotel Lens
Create a Five-Star Quality Light Pattern



SL-PL-AG TIR

IX



超强控光能力
可搭配多种防眩罩减少眩光

Strong in Light Control
Can Match with Different Anti Glare Trim to
Reduce Glare Rays

Optical Transparent PC
光学级透明PC



SL-PL-AG-020A

Φ:20.0mm H:15.0mm Φ:4.0mm

Code 型号	Typ.FWHM 标准角度	Typ.eff 标准效率
SL-PL-AG-020A-S	15°	90%
SL-PL-AG-020A-M	24°	90%

XP-E
XP-G
XP-E2
XP-G2/3
XHP35-HI

HOLDER

SL-HD-AE-022A
SL-HD-AE-022B



SL-PL-AG-022A

Φ:22.0mm H:11.77mm Φ:6.8mm

Code 型号	Typ.FWHM 标准角度	Typ.eff 标准效率
SL-PL-AG-022A-S	24°	82%

CLQ6A

HOLDER

SL-HD-AE-024B



SL-PL-AG-028A

Φ:28.0mm H:15.0mm Φ:8.2mm

Code 型号	Typ.FWHM 标准角度	Typ.eff 标准效率
SL-PL-AG-028A-S	19°	88%
SL-PL-AG-028A-M	24°	88%
SL-PL-AG-028A-F	37°	88%

CLU701
CLU0B0
CXM-6
CXM-7
CHM-6
CXA13
V4 HD
V6 HD
blx C6



SL-PL-AG-035A

Φ:35.0mm H:18.5mm Φ:11.4mm

Code 型号	Typ.FWHM 标准角度	Typ.eff 标准效率
SL-PL-AG-035A-S	18°	85%
SL-PL-AG-035A-M	24°	88%
SL-PL-AG-035A-F	34°	88%

CLU028
CLU701
CLU0B0
CXM-6
CXM-7
CHM-6
CXA13
CXB13
CXA15
CXB15
E6
E8
blx C6
blx C8



SL-PL-AG-045A

Φ:45.0mm H:25.3mm Φ:11.4mm

Code 型号	Typ.FWHM 标准角度	Typ.eff 标准效率
SL-PL-AG-045A-S	18°	82%
SL-PL-AG-045A-M	24°	82%
SL-PL-AG-045A-F	36°	82%

CLU028
CHM-9
CXM-9
CXA15
V10 Gen6
V10 Gen7
blx C8
1202/1203
Soleriq S9
NFCWL036B
NFCCLL036N



SL-PL-AG-075A

Φ:75.0mm H:33.0mm Φ:30.0mm

Optical Transparent PMMA
光学级透明PMMA

Code 型号	Typ.FWHM 标准角度	Typ.eff 标准效率
SL-PL-AG-075A-S	15°	77%
SL-PL-AG-075A-M	24°	92%

HOLDERS	COB
SL-HD-AD-11A	CXA15
SL-HD-AD-11B	CXM-9
SL-HD-AD-12A	CLU028 V10 Gen7/8
SL-HD-AD-14A	CXA18
SL-HD-AD-16A	CXM-14 V13 Gen7/8
SL-HD-AD-17A	CLU038

SL-PL-DG 刀光透镜

IX

Optical Transparent PMMA
光学级透明PMMA



0.4mm

超窄边
Ultra Thin Trim





硬光斑设计

高效率、低眩光、无杂光
Hard Light Pattern
High Efficiency, Low Glare, No Stray Light

费马螺旋微结构
表面无需晒纹可达到均匀混光混色

High-precision Fermat Spiral Microstructure
the Surface can Achieve Uniform Light and
Color Mixing without Frosted Surface

小山丘洗墙方案
Wall Washer Solution






SL-PL-DG-028A

Φ:28mm H:14.55mm Φ:9mm PMMA


Code 型号	Typ.FWHM 标准角度	Typ.eff 标准效率
SL-PL-DG-028A-S	16°(LES 3)	88%
SL-PL-DG-028A-M	24°	86%
SL-PL-DG-028A-F	36°	86%
SL-PL-DG-028A-W	50°	86%



SL-PL-DG-035A

Φ:35.0mm H:17.32mm Φ:12.5mm PMMA


Code 型号	Typ.FWHM 标准角度	Typ.eff 标准效率
SL-PL-DG-035A-S	16°(LES 4)	87%
SL-PL-DG-035A-M	24°	88%
SL-PL-DG-035A-F	36°	88%
SL-PL-DG-035B-W	50°	86%



SL-PL-DG-045A

Φ:45.0mm H:20.8mm Φ:17.0mm PMMA


Code 型号	Typ.FWHM 标准角度	Typ.eff 标准效率
SL-PL-DG-045A-S	16°(LES 6)	86%
SL-PL-DG-045A-M	24°	83%
SL-PL-DG-045A-F	36°	85%
SL-PL-DG-045A-W	50°	82%



SL-PL-DG-050A

Φ:50.0mm H:23.3mm Φ:18.0mm PMMA

Code 型号	Typ.FWHM 标准角度	Typ.eff 标准效率
SL-PL-DG-050A-S	16°(LES 6)	80%
SL-PL-DG-050A-M	24°	81%
SL-PL-DG-050A-F	36°	86%
SL-PL-DG-050A-W	50°	86%



Optical Transparent PC
光学级透明PC

0.4mm

超窄边
Ultra Thin Trim

泰森多边形和
费马螺旋微结构结合
Combination of Tyson Polygon and
Fermat Spiral Microstructures

旋扣式透镜支架
Twist Lock Lens Holder

旋扣光源支架
Twist Lock COB Holder

柔光斑设计

双色温超强混光解决方案


Smooth Light Pattern
Ultra-Strong Color Mixing Lighting Solution



SL-PL-JY-028A

Φ:28.0mm H:13.7mm Φ:8.0mm PC


Code 型号	Typ.FWHM 标准角度	Typ.eff 标准效率
SL-PL-JY-028A-S	16° (LES 3)	89%
SL-PL-JY-028A-M	24°	83%
SL-PL-JY-028A-F	36°	82%
SL-PL-JY-028A-W	50°	82%



SL-PL-JY-035A

Φ:35.0mm H:17.05mm Φ:13.65mm PC

Code 型号	Typ.FWHM 标准角度	Typ.eff 标准效率
SL-PL-JY-035A-US (配ES3)	11°	85%
SL-PL-JY-035A-S	15°	85%
SL-PL-JY-035A-M	24°	85%
SL-PL-JY-035A-F	36°	82%
SL-PL-JY-035A-W	50°	83%






SL-PL-JY-040A

Φ: 40.0mm H: 19.0mm Φ: 16mm

PC

Code 型号	Typ.FWHM 标准角度	Typ.eff 标准效率
SL-PL-JY-040A-M	24°	82%
SL-PL-JY-040A-F	36°	82%



E6CA/V6HD
E8CA
V10
NTW6
NTW9
CXM-6
CXM-9
CTM-6
CTM-9
CXA13
CXA15
CLU02X




SL-PL-JY-045A

Φ:45.00mm H:20.80mm Φ:17.20mm

PC

Code 型号	Typ.FWHM 标准角度	Typ.eff 标准效率
SL-PL-JY-045A-S	15°	85%
SL-PL-JY-045A-M	24°	83%
SL-PL-JY-045A-F	36°	82%
SL-PL-JY-045A-W	50°	82%



E6CA/V6HD
E8CA
V10
NTW6
NTW9
CXM-6
CXM-9
CTM-6
CTM-9
CXA13
CXA15
CLU02X




SL-PL-JY-050A

Φ:50.00mm H:23.30mm Φ:19.60mm

PC

Code 型号	Typ.FWHM 标准角度	Typ.eff 标准效率
SL-PL-JY-050A-S	15°	84%
SL-PL-JY-050A-M	24°	83%
SL-PL-JY-050A-F	36°	82%
SL-PL-JY-050A-W	50°	80%



E6CA/V6HD
E8CA
V10
NTW6
NTW9
CXM-6
CXM-9
CTM-6
CTM-9
CXA13
CXA15
CLU02X

SL-PL-QJ LENS
全角透镜

UGR < 6



高K值
High Central Intensity

高光效
High Efficiency

低眩光
Low Glare

无杂光
No Stray Light

以全角定义光斑大小
光斑小中大分明

Defining light pattern in FWTM, Easy to distinguish different beam angle





NEW

SL-PL-QJ-022A

Φ:22.0mm H:10.8mm Φ:9.5mm

PC

Code 型号	Typ.FWHM 标准角度	Typ.eff 标准效率
SL-PL-QJ-022A-S	15°(Les3)	78%
SL-PL-QJ-022A-M	24°	86%
SL-PL-QJ-022A-F	36°	86%
SL-PL-QJ-022A-W	50°	82%



NEW

SL-PL-QJ-025A

Φ:25.00mm H:12.35mm Φ:11.6mm

PC

Code 型号	Typ.FWHM 标准角度	Typ.eff 标准效率
SL-PL-QJ-025A-S	15°(Les3)	75%
SL-PL-QJ-025A-M	24°	86%
SL-PL-QJ-025A-F	36°	86%
SL-PL-QJ-025A-W	50°	84%



NEW

SL-PL-QJ-028A

Φ:28.00mm H:13.7mm Φ:7.9mm

PC

Code 型号	Typ.FWHM 标准角度	Typ.eff 标准效率
SL-PL-QJ-028A-S	15°	88%
SL-PL-QJ-028A-M	24°	88%
SL-PL-QJ-028A-F	36°	88%
SL-PL-JY-028A-W	50°	82%




NEW

SL-PL-QJ-035A


Φ:35.00mm H:16.85mm Φ:15.75mm

PC


Code 型号	Typ.FWHM 标准角度	Typ.eff 标准效率
SL-PL-QJ-035A-US	11°(Les3)	79%
SL-PL-QJ-035A-S	15°(Les4)	83%
SL-PL-QJ-035A-M	24°	86%
SL-PL-QJ-035A-F	36°	86%
SL-PL-JY-035A-W	50°	83%




■ 匹配光源 MATCHED LED	CXM-3 CXM-4	V3 HD V4 HD	其他LES 3/4
■ 支架型号 HOLDER	SL-HD-CXM-4-1	SL-HD-V4HD-1	/



■ 匹配光源 MATCHED LED	CXM-4	V4 HD	其他LES 4
■ 支架型号 HOLDER	SL-HD-CXM-4-1	SL-HD-V4HD-1	/



■ 匹配光源 MATCHED LED	CXM-4 V4 HD	其他LES 3/4
■ 支架型号 HOLDER	SL-HD-CXA13-1	/



■ 匹配光源 MATCHED LED	CXM-4 CXM-6 E6 CA V4 HD V6 HD	E8 CA	CXM-9 AC V10 CLU02X	其他LES 4/6/9
■ 支架型号 HOLDER	SL-HD-CXA13-1	SL-HD- CXA15-1	SL-HD-CLU02X-1	/



NEW

SL-PL-QJ-040A

Φ:40.0mm H:19.10mm Φ:17.05mm PC

Code 型号	Typ.FWHM 标准角度	Typ.eff 标准效率
SL-PL-QJ-040A-US	12°(Les4)	79%
SL-PL-QJ-040A-S	18°(Les6)	85%
SL-PL-QJ-040A-M	24°	85%
SL-PL-QJ-040A-F	36°	84%
SL-PL-QJ-040A-W	50°	80%



NEW

SL-PL-QJ-045A

Φ:45.0mm H:20.9mm Φ:19.8mm PC

Code 型号	Typ.FWHM 标准角度	Typ.eff 标准效率
SL-PL-QJ-045A-US	11°(Les4)/15°(Les6)	76%
SL-PL-JY-045A-S	15°	85%
SL-PL-QJ-045A-M	24°	85%
SL-PL-QJ-045A-F	36°	86%
SL-PL-JY-045A-W	50°	82%



NEW

SL-PL-QJ-050A

Φ:50.0mm H:23.5mm Φ:23.6mm PC

Code 型号	Typ.FWHM 标准角度	Typ.eff 标准效率
SL-PL-QJ-050A-US	11°(Les6)/15°(Les9)	80%
SL-PL-JY-050A-S	15°	84%
SL-PL-QJ-050A-M	24°	85%
SL-PL-QJ-050A-F	36°	86%
SL-PL-JY-050A-W	50°	80%




NEW


SL-PL-QJ-055A

Φ:55.0mm H:26.25mm Φ:24.6mm PC


Code 型号	Typ.FWHM 标准角度	Typ.eff 标准效率
SL-PL-QJ-055A-US	11°(Les6)/15°(Les9)	78%
SL-PL-QJ-055A-M	24°	84%
SL-PL-QJ-055A-F	36°	85%
SL-PL-QJ-055A-W	50°	83%




匹配光源 MATCHED LED	E8 CA	CXM-4 E6 CA CXM-6 V4 HD V6 HD V10 CXM-9 AC	其他 LES 4/6/9
支架型号 HOLDER	SL-HD-AC-11A	SL-HD-AC-12A	/



匹配光源 MATCHED LED	E8 CA	CXM-4 E6 CA CXM-6 V4 HD V6 HD V10 CXM-9 AC	其他 LES 4/6/9
支架型号 HOLDER	SL-HD-AC-11A	SL-HD-AC-12A	/



匹配光源 MATCHED LED	E8 CA	E6 CA CXM-6 V6 HD V10 CXM-9 AC	其他 LES 6/9
支架型号 HOLDER	SL-HD-AC-11A	SL-HD-AC-12A	/



匹配光源 MATCHED LED	E8 CA	E6 CA CXM-6 V6 HD V10 CXM-9 AC CMB1820 CXM-11	其他 LES 6/9/11/14
支架型号 HOLDER	SL-HD-AC-11A	SL-HD-AC-12A SL-HD-AC-17A	SL-HD-JY-NTW13-1 /




NEW

SL-PL-QJ-062A

Φ: 61.8mm H: 30.1mm Φ: 20.0mm PMMA

Code 型号	Typ.FWHM 标准角度	Typ.eff 标准效率
SL-PL-QJ-062A-S	18° (les12)	92%黑/96%白
SL-PL-QJ-062A-M	24° (les12)	92%黑/97%白
SL-PL-QJ-062A-F	36° (les12)	92%黑/97%白
SL-PL-QJ-062A-W	45° (les12)	92%黑/96%白



■ 匹配光源 MATCHED LED	LUMINUS CXM-14;CITIZEN CLU038;Bridgelux V13	CREE CXA1820	PHILIPS 1208
■ 支架型号 HOLDER	SL-HD-AC-18C	SL-HD-AC-18D	SL-HD-AC-18E




NEW

SL-PL-QJ-068A

Φ: 67.8mm H: 33.15mm Φ: 25mm PMMA

Code 型号	Typ.FWHM 标准角度	Typ.eff 标准效率
SL-PL-QJ-068A-S	16° (les12)	92%黑/96%白
SL-PL-QJ-068A-M	24°	92%黑/96%白
SL-PL-QJ-068A-F	36°	92%黑/96%白
SL-PL-QJ-068A-W	45°	92%黑/96%白



■ 匹配光源 MATCHED LED	LUMINUS CXM-14;CITIZEN CLU038;Bridgelux V13	CREE CXA1820	PHILIPS 1208
■ 支架型号 HOLDER	SL-HD-AC-18C	SL-HD-AC-18D	SL-HD-AC-18E




NEW

SL-PL-QJ-072A

Φ: 72.0mm H: 30.15mm Φ: 29.0mm PC

Code 型号	Typ.FWHM 标准角度	Typ.eff 标准效率
SL-PL-QJ-072A-S	18°	88%黑/94%白
SL-PL-QJ-072A-M	24°	90%黑/97%白
SL-PL-QJ-072A-F	36°	90%黑/97%白
SL-PL-QJ-072A-W	45°	86%黑/92%白



■ 匹配光源 MATCHED LED	LUMINUS CXM-14; CITIZEN CLU038; Bridgelux V13; Tridonic G7	PHILIPS 1208
■ 支架型号 HOLDER	SL-HD-AC-18A	SL-HD-AC-18B

SL-RF-AP

X

幕光洗墙

Wallwasher

Optical Transparent PC
光学级透明PC

无眩光

特殊自由曲面反光杯
与防眩罩搭配

No glare: Special free-form surface
reflector matched anti-glare trim

超强混光性能

独特的微鳞甲格纹
单色和双色温通用方案

Good uniformity light pattern: unique
micro scale structure, suitable for
single & color tunable COB

无暗区洗墙光斑

洗墙起始光斑与
天花板顶端切齐


Wall washing without dark area: The
starting light pattern of wall washing
is aligned with the top of the ceiling




SL-RF-AF-030A-RC

Vacuum Aluminum Plating PC
真空镀铝

Φ: 30mm




Code 型号	Product name 产品名称	Typ.FWHM 标准角度	Typ.eff 标准效率
SL-RF-AF-030A-RC	防眩罩/ Anti-glare Trim	/	/
SL-RF-AP-026A-WW	反光杯/ Reflector	WW	66%




SL-RF-AF-030A-RC



SL-RF-AP-026A-WW



SL-HD-AG-04C



SL-HD-AG-04D


CXM-4
CXM-3
V4HD
V3HD

建议两灯间距: 0.5-0.6m Recommended distance: 0.5-0.6m	离墙: 0.4-0.5m Distance from wall: 0.4-0.5m
支架型号HOLDER	匹配光源 MATCHED LED
SL-HD-AG-04C	CXM-4/CXM-3
SL-HD-AG-04D	V4 HD/V3 HD

SL-RF-AF-049A-RC

Vacuum Aluminum Plating PC
真空镀铝


Φ: 49.1mm




SL-RF-AF-069A-RC

Vacuum Aluminum Plating PC
真空镀铝

Φ: 68.2mm




Code 型号	Product name 产品名称	Typ.FWHM 标准角度	Typ.eff 标准效率
SL-RF-AF-049A-RC	防眩罩/ Anti-glare Trim	/	/
SL-RF-AP-035A-WW	反光杯/ Reflector	WW	62%



SL-RF-AF-049A-RC




SL-RF-AP-035A-WW




SL-HD-AG-06E


V4HD
V6HD
CXM-4
CXM-6
CTM-6
CLU701




Code 型号	Product name 产品名称	Typ.FWHM 标准角度	Typ.eff 标准效率
SL-RF-AF-069A-RC	防眩罩/ Anti-glare Trim	/	/
SL-RF-AP-059A-WW	反光杯/ Reflector	WW	68%



SL-RF-AF-069A-RC




SL-RF-AP-059A-WW



SL-HD-AG-09E


V6HD
CXM-6
CTM-6
CLU701




SL-RF-AF-069B-RC

Vacuum Aluminum Plating PC
真空镀铝


Φ: 68.2mm



Code 型号	Product name 产品名称	Typ.FWHM 标准角度	Typ.eff 标准效率
SL-RF-AF-069B-RC	防眩罩/ Anti-glare Trim	/	/
SL-RF-AP-059B-WW	反光杯/ Reflector	WW	72%



SL-RF-AF-069B-RC



SL-RF-AP-059B-WW




SL-HD-AG-09E



SL-HD-AG-12C




SL-HD-AG-12E




SL-RF-AF-090B-RC

Vacuum Aluminum Plating PC
真空镀铝


Φ: 90.0mm



Code 型号	Product name 产品名称	Typ.FWHM 标准角度	Typ.eff 标准效率
SL-RF-AF-090B-RC	防眩罩/ Anti-glare Trim	/	/
SL-RF-AP-075A-WW	反光杯/ Reflector	WW	70%




SL-RF-AF-090B-RC




SL-RF-AP-075A-WW



SL-HD-AG-12C



SL-HD-AG-12D



SL-RF-XG Reflector
消光反光杯

UGR < 3

一层光斑设计
超低眩光

One Layer Light Pattern,
Ultra Low Glare



AR镀膜
AR Coating



耐高温材料
High Temperature
Resistant Material



NEW

SL-RF-XG-028A-S

Φ:28.0mm H:22.4mm Φ:5.6mm(S)/7.8mm(M/F)

Code 型号	Typ.FWHM 标准角度	Typ.eff 标准效率
SL-RF-XG-028A-S	18°(LES4)	83%
SL-RF-XG-028A-M	24°	83%
SL-RF-XG-028A-F	36°	83%




NEW


SL-RF-XG-035A

Φ:35.0mm H:28.0mm Φ:7.8mm

Code 型号	Typ.FWHM 标准角度	Typ.eff 标准效率
SL-RF-XG-035A-S	18°	83%
SL-RF-XG-035A-M	24°	83%
SL-RF-XG-035A-F	36°	83%



■ 匹配光源 MATCHED LED	V6HD E6CA	CXM-4 CXM-6	CLU703 CTM-6	TOYONIAT10/TX-13	其他LES 4/6
■ 支架型号 HOLDER	SL-HD-XG-CXA13-1		/		



■ 匹配光源 MATCHED LED	V6HD E6CA	CXM-6 CTM-6	CLU703	TOYONIAT10/TX-13	其他LES 6
■ 支架型号 HOLDER	SL-HD-XG-CXA13-1		/		




NEW

SL-RF-XG-035B

Φ:35.0mm H:28.0mm Φ:11.4mm

Code 型号	Typ.FWHM 标准角度	Typ.eff 标准效率
SL-RF-XG-035B-M	26°	81%
SL-RF-XG-035B-F	36°	86%



■ 匹配光源 MATCHED LED	V10 CLU02X	CXM-9 Gen4	E8CA CTM-9 TOYONIA T20/TX-15	其他LES 9
■ 支架型号 HOLDER	SL-HD-XG-CLU02X-1	SL-HD-XG-CXA15-1	/	




NEW

SL-RF-XG-045A

Φ:45.0mm H: 36mm Φ:11.1mm

Code 型号	Typ.FWHM 标准角度	Typ.eff 标准效率
SL-RF-XG-045A-S	18°	83%
SL-RF-XG-045A-M	24°	85%
SL-RF-XG-045A-F	36°	85%



■ 匹配光源 MATCHED LED	V10 CLU02X	CXM-9 Gen4	E8CA CTM-9 TOYONIA T20/TX-15	其他LES 9
■ 支架型号 HOLDER	SL-HD-XG-CLU02X-2	SL-HD-XG-CXA15-2	/	




NEW

SL-RF-XG-050A

Φ:50.0mm H: 40.0mm Φ:11.4mm

Code 型号	Typ.FWHM 标准角度	Typ.eff 标准效率
SL-RF-XG-050A-S	18°	84%
SL-RF-XG-050A-M	24°	84%
SL-RF-XG-050A-F	36°	84%



■ 匹配光源 MATCHED LED	V10 CLU02X	CXM-9 Gen4	E8CA CTM-9 TOYONIA T20/TX-15	其他LES 9
■ 支架型号 HOLDER	SL-HD-XG-CLU02X-2	SL-HD-XG-CXA15-2	/	

SL-MN-RF MINI REFLECTOR
迷你反光杯



小体积
Small Size

- 10mm
- 14mm
- 18mm

低眩光，高亮度，高耐温
Low glare, High illumination, High temperature resistance

Beam Angle
18°/24°/36°角度可选



SL-RF-MN-010A

Φ:10.0mm H: 7.5mm Φ:3.5mm


Code 型号	Typ.FWHM 标准角度	Typ.eff 标准效率
SL-RF-MN-010A-M	26°	92%
SL-RF-MN-010A-F	36°	95%




SL-RF-MN-014A

Φ:14.0mm H:10mm Φ:4.8mm

Code 型号	Typ.FWHM 标准角度	Typ.eff 标准效率
SL-RF-MN-014A-M	26°	88%
SL-RF-MN-014A-F	36°	87%




SL-RF-MN-010A-M




SL-RF-MN-010A-F



SL-HD-MN-CLU7S3-1



SL-RF-MN-014A-S



SL-RF-MN-014A-M

匹配光源 MATCHED LED	3030/3535/2323	Luminus SST20
---------------------	----------------	---------------

匹配光源 MATCHED LED	CLU7S3	其他IES 3
支架型号 HOLDER	SL-HD-MN-CLU7S3-1	


SL-RF-MN-018A

Vacuum Aluminum Plating PC
真空镀铝

Φ:18.0mm H:14.0mm Φ:4.5mm



Code 型号	Typ.FWHM 标准角度	Typ.eff 标准效率
SL-RF-MN-018A-S	18°	80%
SL-RF-MN-018A-M	25°	88%
SL-RF-MN-018A-F	36°	88%



V3HD
V4HD
CXM-3
CXM-4

匹配光源 MATCHED LED	V3HD V4HD	CXM-3 CXM-4	其他LES 3/4
支架型号 HOLDER	SL-HD-MN-V3HD-1	SL-HD-MN-CXM-3-1	

Stellar Series
星辰系列

UGR≤19

点亮即现星辰
透镜冰裂纹理
结合防眩罩碎钻切面设计

It Creates a Stunning Starry Sky Effect when lit
Boasting a Frost-Crack-Textured
Lens and Diamond-Cut Anti-Glare Trim



EACH RAY IS BRIGHTER IN SHINLAND
www.shinland.com.cn

PROFESSIONAL OPTICS + AESTHETICS

专业光学+美学设计

• Beam Angle 60°
角度

• Efficiency ≥88%
效率

• High Efficiency 160lm/w
整灯光效



黄金径高比+微结构设计
The Golden Aspect Ratio,
Integrated with a
Micro-Structural Design

隐藏LED颗粒感
Effectively Masks the
Granularity
of LED Particles

立体发光面
3D Light-
Emitting surface

兼容双色温
Dual CCT
Compatible

目视眩光低
Low Visual Glare

**大发光面设计
更容易满足RGO**
Its Large Optical Light-
Emitting Surface Design
Ensures Easier Compliance
with the RGO Standard


Application Scenario: Downlights, Decorative Luminaries etc.
应用产品: 适用于筒灯, 装饰灯等



SL-RF-XC-070A-RD

Φ:70mm H:47mm Φ:26.65mm

Code 型号	Product name 产品名称	Typ.FWHM 标准角度	Typ.eff 标准效率
SL-RF-XC-070A-RD	防眩罩/ Anti-glare Trim	/	/
SL-PL-XC-057A-W	透镜/Lens	/	/
SL-RF-XC-060A-W	反光杯/ Reflector	60°	88-90%



■ 匹配光源 SMD	2835/3030 16~32pcs
■ 支架型号 HOLDER	SL-HD-XC-050A

Y103 深空黑
L a b
24.63 0.04 -0.89

L101 亮黑
L a b
24.13 -0.04 0.99

Y003 象牙白
L a b
96.97 -1.15 2.55

L001 珍珠白
L a b
98.30 -0.71 1.24

L201 月光银
L a b
93.85 -0.45 2.16

钻石黑 银灰色
L a b
32.50 0.22 3.76

钻石金 琥珀色
L a b
80.55 8.4 45.58

钻石银 透明银
L a b
93.85 -0.45 2.16




SL-RF-XC-090A-RD

Φ:90mm H:55.6mm Φ:35mm



Code 型号	Product name 产品名称	Typ.FWHM 标准角度	Typ.eff 标准效率
SL-RF-XC-090A-RD	防眩罩/ Anti-glare Trim	/	/
SL-PL-XC-074-W	透镜/Lens	/	/
SL-RF-XC-078A-W	反光杯/ Reflector	60°	88-90%



■ 匹配光源 SMD	2835/3030 36~48pcs
■ 支架型号 HOLDER	SL-HD-XC-060A

Y103 深空黑
L a b
24.63 0.04 -0.89

L101 亮黑
L a b
24.13 -0.04 0.99

Y003 象牙白
L a b
96.97 -1.15 2.55

L001 珍珠白
L a b
98.30 -0.71 1.24

L201 月光银
L a b
93.85 -0.45 2.16

钻石黑 银灰色
L a b
32.50 0.22 3.76

钻石金 琥珀色
L a b
80.55 8.4 45.58

钻石银 透明银
L a b
93.85 -0.45 2.16



SL-RF-XC-110A-RD

Φ:110mm H:67mm Φ:43.85mm



Code 型号	Product name 产品名称	Typ.FWHM 标准角度	Typ.eff 标准效率
SL-RF-XC-110A-RD	防眩罩/ Anti-glare Trim	/	/
SL-PL-XC-090A-W	透镜/Lens	/	/
SL-RF-XC-094A-W	反光杯/ Reflector	60°	88-90%



■ 匹配光源 SMD	2835/3030 48~84pcs
■ 支架型号 HOLDER	SL-HD-XC-070A

Y103 深空黑
L a b
24.63 0.04 -0.89

L101 亮黑
L a b
24.13 -0.04 0.99

Y003 象牙白
L a b
96.97 -1.15 2.55


L001 珍珠白
L a b
98.30 -0.71 1.24

L201 月光银
L a b
93.85 -0.45 2.16

钻石黑 银灰色
L a b
32.50 0.22 3.76


钻石金 琥珀色
L a b
80.55 8.4 45.58

钻石银 透明银
L a b
93.85 -0.45 2.16



Beautiful Light as a Galaxy,
Sweet Dream as a Mirror
光若星河，美梦如镜

2700K 4000K 5000K



Beam Angle
50°
角度

Whole Luminaires Efficiency
85%
整灯效率

Matched LED Source
2835/3030
匹配光源

UGR(Unified Glare Rating)数据表									
当座席平面照度为10lx, 0.53333, 0.5, 0.6667, 0.75, 0.8333, 0.9, 0.9333, 1.0, 1.0667, 1.1, 1.3333, 1.5, 1.6667, 1.8, 2.0, 2.3333, 2.5, 2.6667, 3.0, 3.3333, 3.5, 4.0, 4.5, 5.0, 5.3333, 6.0, 6.6667, 7.0, 7.3333, 8.0, 9.0, 10.0, 11.1111, 12.0, 13.3333, 15.0, 16.6667, 18.0, 20.0, 22.2222, 25.0, 30.0, 33.3333, 40.0, 45.0, 50.0, 60.0, 70.0, 80.0, 90.0, 100.0, 111.1111, 125.0, 150.0, 166.6667, 180.0, 200.0, 222.2222, 250.0, 300.0, 333.3333, 400.0, 450.0, 500.0, 600.0, 700.0, 800.0, 900.0, 1000.0, 1111.1111, 1250.0, 1500.0, 1666.6667, 1800.0, 2000.0, 2222.2222, 2500.0, 3000.0, 3333.3333, 4000.0, 4500.0, 5000.0, 6000.0, 7000.0, 8000.0, 9000.0, 10000.0, 11111.1111, 12500.0, 15000.0, 16666.6667, 18000.0, 20000.0, 22222.2222, 25000.0, 30000.0, 33333.3333, 40000.0, 45000.0, 50000.0, 60000.0, 70000.0, 80000.0, 90000.0, 100000.0, 111111.1111, 125000.0, 150000.0, 166666.6667, 180000.0, 200000.0, 222222.2222, 250000.0, 300000.0, 333333.3333, 400000.0, 450000.0, 500000.0, 600000.0, 700000.0, 800000.0, 900000.0, 1000000.0, 1111111.1111, 1250000.0, 1500000.0, 1666666.6667, 1800000.0, 2000000.0, 2222222.2222, 2500000.0, 3000000.0, 3333333.3333, 4000000.0, 4500000.0, 5000000.0, 6000000.0, 7000000.0, 8000000.0, 9000000.0, 10000000.0, 11111111.1111, 12500000.0, 15000000.0, 16666666.6667, 18000000.0, 20000000.0, 22222222.2222, 25000000.0, 30000000.0, 33333333.3333, 40000000.0, 45000000.0, 50000000.0, 60000000.0, 70000000.0, 80000000.0, 90000000.0, 100000000.0, 111111111.1111, 125000000.0, 150000000.0, 166666666.6667, 180000000.0, 200000000.0, 222222222.2222, 250000000.0, 300000000.0, 333333333.3333, 400000000.0, 450000000.0, 500000000.0, 600000000.0, 700000000.0, 800000000.0, 900000000.0, 1000000000.0, 1111111111.1111, 1250000000.0, 1500000000.0, 1666666666.6667, 1800000000.0, 2000000000.0, 2222222222.2222, 2500000000.0, 3000000000.0, 3333333333.3333, 4000000000.0, 4500000000.0, 5000000000.0, 6000000000.0, 7000000000.0, 8000000000.0, 9000000000.0, 10000000000.0, 11111111111.1111, 12500000000.0, 15000000000.0, 16666666666.6667, 18000000000.0, 20000000000.0, 22222222222.2222, 25000000000.0, 30000000000.0, 33333333333.3333, 40000000000.0, 45000000000.0, 50000000000.0, 60000000000.0, 70000000000.0, 80000000000.0, 90000000000.0, 100000000000.0, 111111111111.1111, 125000000000.0, 150000000000.0, 166666666666.6667, 180000000000.0, 200000000000.0, 222222222222.2222, 250000000000.0, 300000000000.0, 333333333333.3333, 400000000000.0, 450000000000.0, 500000000000.0, 600000000000.0, 700000000000.0, 800000000000.0, 900000000000.0, 1000000000000.0, 1111111111111.1111, 1250000000000.0, 1500000000000.0, 1666666666666.6667, 1800000000000.0, 2000000000000.0, 2222222222222.2222, 2500000000000.0, 3000000000000.0, 3333333333333.3333, 4000000000000.0, 4500000000000.0, 5000000000000.0, 6000000000000.0, 7000000000000.0, 8000000000000.0, 9000000000000.0, 10000000000000.0, 11111111111111.1111, 12500000000000.0, 15000000000000.0, 16666666666666.6667, 18000000000000.0, 20000000000000.0, 22222222222222.2222, 25000000000000.0, 30000000000000.0, 33333333333333.3333, 40000000000000.0, 45000000000000.0, 50000000000000.0, 60000000000000.0, 70000000000000.0, 80000000000000.0, 90000000000000.0, 100000000000000.0, 111111111111111.1111, 125000000000000.0, 150000000000000.0, 166666666666666.6667, 180000000000000.0, 200000000000000.0, 222222222222222.2222, 250000000000000.0, 300000000000000.0, 333333333333333.3333, 400000000000000.0, 450000000000000.0, 500000000000000.0, 600000000000000.0, 700000000000000.0, 800000000000000.0, 900000000000000.0, 1000000000000000.0, 1111111111111111.1111, 1250000000000000.0, 1500000000000000.0, 1666666666666666.6667, 1800000000000000.0, 2000000000000000.0, 2222222222222222.2222, 2500000000000000.0, 3000000000000000.0, 3333333333333333.3333, 4000000000000000.0, 4500000000000000.0, 5000000000000000.0, 6000000000000000.0, 7000000000000000.0, 8000000000000000.0, 9000000000000000.0, 10000000000000000.0, 11111111111111111.1111, 12500000000000000.0, 15000000000000000.0, 16666666666666666.6667, 18000000000000000.0, 200000000000									

Versatile Applications
Linear Lights, Magnetic Strip
Lights, Floor Lamps & More

灵活应用: 适用于线性灯
磁吸条形灯、落地灯等应用




NEW

SL-RF-XH-186A-W

L:198mm,192mm,186mm W: 30mm H:23.4mm

Code 型号	Product name 产品名称	Typ.FWHM 标准角度	Typ.eff 标准效率
SL-PL-XH-198A	防眩罩/ Anti-glare Trim	/	/
SL-PL-XH-192A	防眩罩/ Anti-glare Trim	/	/
SL-PL-XH-186A	防眩罩/ Anti-glare Trim	/	/
SL-RF-XH-186A-W	反光杯/ Reflector	50°	85%



■ 宽度 WIDTH	30mm
■ 拼接方式 SPlicing MODE	单头拼接、双头拼接、中间拼接
■ 匹配光源 SMD	2835/3030
■ 支架型号 HOLDER	SL-HD-XH-183A




NEW

SL-RF-XH-280A-W

L:280mm W: 40mm H:26.5mm

Code 型号	Product name 产品名称	Typ.FWHM 标准角度	Typ.eff 标准效率
SL-R-PL-XH-280A-W	透镜/ Lens	/	/
SL-RF-XH-280A-W	反光杯/ Reflector	60°	85%



■ 宽度 WIDTH	40mm
■ 匹配光源 SMD	2835/3030
■ 支架型号 HOLDER	SL-R-HD-XH-104A

- 1996** 公司前身潮州市振雄塑胶制品厂，开启注塑加工生产业务；
Chaozhou Zhenxiong Plastic Products Factory has started injection molding processing and production business.
- 2006** 开创手电筒反光杯业务，产品销量一路攀升，并多年蝉联国内销售第一；
created the flashlight reflector business, and the product sales have been rising all the way, and it has been ranked first in domestic sales for many years;
- 2013** 深圳成立总部打开了光学照明领域发展的全新篇章；
the establishment of the headquarters in Shenzhen opened a new chapter in the development of the Optical.
- 2015** 西朗德光学成立车灯事业部，同年在台湾成立研发分公司；
Shinland Optics established the Automotive Lighting Division, and established a R&D branch in Taiwan in the same year.
- 2016** 取得ISO9001质量管理体系认证；
obtained ISO9001 quality management system certification.
- 2017** 西朗德光学成立特种照明事业部
Shinland Optics established the Special Lighting Division.
- 2019** 东莞塘厦购置工业园，成立广东西朗德光学科技有限公司；
purchased an industrial park in Tangxia, Dongguan, and established Guangdong Shinland Optical Technology Co., Ltd.
- 2020** 广东西朗德光学科技有限公司获得国家高新企业认证；
Guangdong Shinland Optical Technology Co., Ltd. won the national high-tech enterprise certification.
- 2021** 深圳市西朗德光学有限公司获得国家高新企业认证
Shenzhen Shinland Optical Technology Co., Ltd. won the national high-tech enterprise certification.
- 2022** 取得IATF 16949汽车行业质量管理体系认证
obtain IATF 16949 automotive industry quality management system certification.
- 2023** 广东西朗德和深圳西朗德连续荣获“专精特新”认定
Shinland was awarded the certification of Specialized and Sophisticated SMEs in Guangdong Province.
- 2024** 荣获多家全球头部企业定点项目
Won multiple designated projects from top global enterprises
- 2025** 15000㎡智能生产基地正式启用，同年通过了ISO14064、SA8000、ISO45001、ISO14001等国际体系认证
The 15000㎡ intelligent production base was officially opened, and passed the ISO-14064, SA8000, ISO45001, ISO14001 and other international system certification in the same year

QUALIFICATION CERTIFICATION

资质认证



ISO9001 证书

IATF 16949 证书

高新技术企业证书

专精特新证书

深圳市西朗德光学有限公司

地址：深圳市南山区西丽国际创新谷三期7栋C座403

网址：www.shinland.com.cn

邮箱：shinland@shinland.com

电话：0755-86655401

Shenzhen Shinland Optics Co. Ltd.

Block C, 403, Building 7, Phase III, Xili International
Innovation Valley, Nanshan District, Shenzhen, China.

Web：www.xld.shinland.com.cn

Email: shinland@shinland.com

Tel: 0755-86655401

西朗德部分合作伙伴

Some Partners To Shinland



CITIZEN

OSRAM
Opto Semiconductors



LUMENS
Leading the LED Revolution



TRIDONIC

LUMILEDS



XICATO

